

ВІДЧУЙТЕ
ДОСКОНАЛІСТЬ
У КОЖНОМУ МОМЕНТІ

КАТАЛОГ

2 0 2 2



8 Різних Моделей **8** Різних Кольорів



СИСТЕМИ СТЕРИЛІЗАЦІЙНИХ КОНТЕЙНЕРІВ

“ Місце збору для операції...”

ВИДАННЯ 10

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



“ Meeting point for surgery...”

Aygün has the right to modify and develop the products declared in this catalogue and its production program.

The weight and dimensional information given in our catalog are approximate values.

KA-3013-Y3 Copyright © Aygün Co., Inc 2022 All Right Reserved, Printed in Türkiye

www.aygun.com

OUR HISTORY

AYGÜN, one of the leading establishments of Turkey in the field of Medical Industry, was founded in 1988. It manufactures Container Systems for sterilization, Surgical Motor Systems, Medical Illumination Systems and Single Use Medical Systems in its facility at Samsun Central Organized Industrial Zone.

AYGÜN meets the needs of significant part of Turkey as a result of its continuous R&D works and the capacity increasing. It manufactures its products in international standards and put them to the world market with a high competitive power. Moreover with its integrated quality management system, it proves that it is a specialized establishment.

Besides being a manufacturer, AYGÜN is also a designer company and with its continuous product development works it increases number of its patents, on the other hand, is contributing career development of rising generation by acting as a school.





STERILIZATION CONTAINER SYSTEMS

All Aygün sterilization container systems are designed for perfect steam penetration, traceability, safety and stability. The locking mechanisms secure excellent grip and ensure up and down movement of the lids under steam pressure during the sterilization. We service our bottoms and lids made of 2 mm high quality special alloy aluminum raw material to the whole world with 8 basic color options.

CONTAINER MODELS

- STANDARD PLUS
- STANDARD MODEL
- BIO-BARRIER MODEL
- PPSU MODEL
- WINDOW MODEL
- B3 MODEL
- PLASMA MODEL
- A1 MODEL
- SAFE MODEL



SURGICAL MOTOR SYSTEMS

The expertise of AYGÜN in surgical motor systems gathered up many designs and systems that have special structures servicing from neuro and spinal surgery to many fields like cardiovascular, orthopedic, plastic, hand & foot and maxillofacial surgery. The quality, power and ergonomic design of the new generation of high-tech battery powered surgical motor systems once again demonstrates AYGÜN's expertise in the medical field.

SURGICAL MOTOR SYSTEM MODELS

- SCOREN
- KARINCA 206
- KARINCA 208
- DERMATOME BES
- DERMATOME ST-5
- SKIN GRAFT MESHER
- PRAXIS 3
- PRAXIS 3B
- STERNAL SAW 3B
- HSM MICRO SYSTEM
- HSM 2 NEURO & SPINE SYSTEM
- MINI BONE 40.000 RPM
- MINI BONE MONOBLOCK
- ARTHROSCOPY SHAVER
- MINI SURGICAL MOTOR
- MINI COMPACT
- NEURO AIR POWER
- STANDARD MACRO
- EPS MOTOR SYSTEM
- MACRO COMPACT
- MOBIL STATOR



SURGICAL ILLUMINATION SYSTEMS

Aygün is furthering a number of R&D projects simultaneously thanks to its advanced R&D infrastructure, team of engineers and technical personnel specialized in their field. Thus, the company holds tens of patents and models actively used in the medical sector.

ILLUMINATION SYSTEMS FEATURES

- I-LIGHT LD SPECIFICATIONS
- SUPERIOR OPTICAL PERFORMANCE
- LIGHT BEAMS CONFIGURATION TO PROVIDE SHADOWLESS ILLUMINATION
- ALMOST PERFECT COLOR RENDITION (TYP. 95)
- TFT TOUCH SCREEN FOR LIGHTING CONTROL
- ADJUSTABLE BEAM SIZES TO USER PREFERENCES
- SUITABLE FOR USE WITH LAMINAR FLOW FUNCTIONAL CEILINGS
- EASY TO CLEAN
- MINIMUM ENERGY CONSUMPTION
- 60.000 HOURS LED LIFE
- INDIRECT ENDO LIGHT FOR ENDOSCOPIC OPERATIONS



DISPOSABLE MEDICAL PRODUCTS

AYGÜN continues expanding its product range by adding other single use medical products to the completely silicone medical drainage systems needed by surgery. With its ISO 7 clean room and by carrying its expertise on sterilization and operation solutions one step further, AYGÜN offers professional service to its valued customers in disposable medical items as well.

DISPOSABLE PRODUCTS MODELS

- REUSABLE LARYNGEAL MASK
- SILICONE PENROSE DRAIN TUBE
- SPIRAL IN TUBES
- SILICONE NUTRITION TUBE
- SILICONE ROUND DRAIN
- SILICONE FLAT-SOFT DRAIN
- SILICONE FLAT DRAIN
- INTUBATION TUBE
- PVC LARYNGEAL MASK
- SILICONE PENROSE DRAIN
- SILICONE THORAX DRAIN
- TRACHEOSTOMY TUBE
- INTUBATION TUBE
- VAC SILICONE DRAIN
- OXYGEN MASK

for more
visit us
www.aygun.com

WE GROWING TOGETHER

Aygün has an actively growing position in the sector through using a high technology and innovative institutional structure.



OUR VISION

The vision of AYGÜN is to grow in health sector according to the developing technology and sectoral innovations and serve humanity by producing new project and products appropriate to these innovations.


OUR MISSION

AYGÜN builds projects that can contribute to human health all over the world and integrates these projects to its production area and products in the light of technological developments. It constantly stays active with its innovative and explorer soul and remains taking part among the leader companies ruling the sector.

QUALITY MANAGEMENT SYSTEM

- ISO 9001:2015
- ISO 14001:2015
- ISO 45001: 2018
- ISO 13485:2016
- 93/42/EEC
- FDA 510 (K)

ISO 9001:2015
CERTIFIED
ISO 13485:2016
CERTIFIED







PRODUCTION

Sense of high-grade quality in each process from raw material supply to the shipment is combined with integrated quality management system according to the standards. A big stuff gathered under the same roof and adopted importance of teamwork carry all stages above the dreams and makes what is desired real.

TECHNICAL INFRASTRUCTURE

CNC Machines
Hydraulic and Eccentric Presses
Hot Presses
Conventional CNC Machines
Mold Design and Molding Technology
3D Modelling Technology
Thermoforming
Cutting Machines

Electronic Design and Manufacturing Engineering
Software Technology
Fine Mechanic Techniques
Hardening
Laser Technology
Silicone Extrusion Technology
Clean Room - ISO 7
Chemical Coating and Anodizing Technology



COMBINATION OF PRECIOUS HIGH TECHNOLOGY PRODUCTION MACHINES AND PERFECT CRAFTSMANSHIP,

New product development desire and need began in minds becomes sharable and interpretable with 3D printers and technical drawings. After setting the models and testing the prototypes, the production process starts for the approved designs. The production starts with combination of high technology production machines and perfect craftsmanship.

RESEARCH, DEVELOPMENT, QUALITY

AYGÜN increases its power with its endless R&D works. It makes all needed investments so as to research and develop even the smallest part of the complicated products manufactured and carries out successful projects with its professional engineer team. It both develops the existing products with today's technology and performs serious works on new product designs.



CONTENT

Page Numbers

STERILIZATION CONTAINERS

10 - 21	—	INTRODUCTION
22 - 33	—	STANDARD PLUS
34 - 47	—	BIO-BARRIER MODEL
48 - 63	—	BARRIER 3 MODEL
64 - 73	—	HIGH PERFORMANCE POLYMERS PPSU LIDS
74 - 85	—	STANDARD MODEL
86 - 93	—	A1 MODEL
94 - 101	—	WINDOW MODEL
102 - 109	—	PLASMA MODEL (H2O2 for sterrad)
110 - 127	—	DENTAL, MINI, SPECIAL MODEL

BASKETS

128 - 135	—	PERFORATED TRAYS
136 - 142	—	WIRE BASKETS
143 - 145	—	ALUMINIUM BASKETS, WASHER TUBES FOR K-WIRES

ACCESSORIES

146 - 149	—	MODULAR AUTO LOCK MECHANISM
150 - 151	—	WINDOW FOR EMULATING INDICATOR
152 - 169	—	FILTERS, INDICATORS, FILTER FILTER RETAINER & DISPENSEER, SILICONE MATS, SECURITY SEAL, RACKS, RAILS, HOLDERS, DIVIDERS
170 - 176	—	INDEX



Deep Drawn
In 500 Tons

In Massive
Press Area

Shaped By
Professional
Hands



AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS CUSTOM MADE PRODUCTS

We perform our customers' special production requests in a manner that does not violate international patent and intellectual property rights. In this way, we increase the flexibility and competitiveness of our valued customers.

We move our customers one step further; All of our products are branded and supplied with our company logo or your company logo by laser marking according to your request, depending on the OEM agreement.

Our products are marked, signed, numbered and adjusted according to your company's requirement. The products which are marked according to your company's requirement establish a strong, permanent bond in traceability and receive feedback between your company and your customers..

Beyond Sterilization



AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS

Aygün manufactures sterilization container systems in medical industry since 1988 and releases the quality that takes human health under best protection. Aygün sterilization container systems are made of special alloy - 2mm high quality raw material and serviced to the whole world as 8 different models and colors coding easy distinctiveness. The single block label holders on both sides of the containers also serve for that purpose while carrying handles having 90° mobility and ergonomic design provide easy and secure carrying facilities and the gasket inside the lid ensures perfect tightness.

Besides providing a greener alternative to wrapping method, Aygün sterilization container systems also generate a great return on investment. Aygün meets needs of the market and preferred by many users all over the world because of its high quality, reasonable prices and variety of products that appeal to every user.



WHY STERILE CONTAINER SYSTEMS

As you know, there are two general methods for the sterilization and protection of surgical instruments: single-use wrap and reusable sterilization container systems.

The main differences between these methods are efficiency and return on investment.

Return on Investment: The single-use wraps seem more economical at first view. They are single-use and disposable. However, these medical wastes are 5-10% of the total medical waste streams of hospitals. Furthermore, single-use wraps can tear during the sterilization process because of any reason. In this case, sterilization is performed again and this may cause many delays. The aluminum sterilization containers can be considered as non-economic at first view but the lifetime of them is more than 5 years. When the lifetime is based on, the total cost reduces approximately at a rate of 70-80% more when compared with the cost of single-use wraps and that's why they are more economical choice.

Environmental Awareness: The sterilization containers has a big role for the care that we need to take for our life space which is polluted more day by day. The sterilization containers do not cause any kind of medical waste streams and protect the environment.

Efficiency: You do not face with any tearing and containerization is a more effective method for the sterilization. In terms of following and detecting the sterilization period and result, It increases the efficiency with accessories like automatic lock, indicator window and security seal.

Reliability: They protect the surgical instruments in the maximum level with the help of their hard and sheltered structure.

Ease of Identification: Reaching the information of instruments inside the sterilization container is easier due to the face plate that sterilization containers have in both sides. Moreover, they provide ease of identification with the help of different lid color options creating color coding.

Safe Handling: They enable more proper, easier and safer transportation with their ergonomic design and handles.



K E E P S A F E

E

E

P

S

T

E

R

I

L

E




AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

All Aygün sterilization container systems are designed for perfect steam penetration, traceability, safety and stability. The locking mechanisms secure excellent grip and ensure up and down movement of the lids under steam pressure during the sterilization.

aygun.com

Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

Standard Dimensions



TYPES

AND

DIMENSIONS

Aygün sterilization container systems, with most general point of view, are separated into 5 different dimension groups as $\frac{1}{2}$, $\frac{3}{4}$, 1/1, Extra Large and Extra Long models. Additionally, we can supply smaller models like Dental and Mini Sterilization Containers.



ХАРАКТЕРИСТИКИ КРИШКИ ТА ОСНОВИ У контейнерах для стерилізації

Спеціальна конструкція кришки для штабелювання!

Герметичні фіксатори фільтра з 2 пружинами всередині та функцією попереднього натягу забезпечують швидку, легку та безпечну заміну фільтрів завдяки міцній посадці на поверхні.

Додаткова можливість маркування OEM!

Механізм фіксації забезпечує краще зчеплення завдяки своїй гнучкій структурі, включаючи 2 пружини всередині та механізм роботи в один рух.

Теплочутливий модульний автоматичний механізм блокування забезпечує безпечніший результат процесу стерилізації.

Внутрішня прокладка кришки забезпечує надійну герметичність контейнера.

Додаткова можливість маркування OEM!

Стийкі до корозії кришка та дно виготовлені зі спеціального сплаву алюмінію високої якості 2 мм!

Лицьові пластини з обох боків контейнера виготовлені єдиним цілим!

Широкі ручки спеціального дизайну з силіконовим покриттям дозволяють легко і безпечно поводитися з контейнером і запобігають травмам рук. Доступні 8 різних кольорів.

Ідентифікаційні ярлики можуть містити від 18 до 24 літер.

Захисні кришки

Захисні кришки забезпечують захист від ударів і запобігають забрудненню під час зберігання та транспортування.

8 Різних Кольорів


Перфоровані кришки

Перфоровані та неперфоровані
Параметри контейнера

Дно (Перфороване)

Дно (Неперфороване)

SUITABILITY OF OUR STERILE CONTAINERS FOR STEAM STERILIZATION PROCEDURES ¹⁾
as per DIN 58953 part 9

Sterilization container	Packing		Steam sterilization procedure acc. to DIN 58946, part 1				
	Description	Symbolic representation and packing system	Gravitation procedure	Pre-vacuum procedure	Fractional vacuum procedure	Fractional flow procedure	Steam injection procedure
with filters (SIB-F)	Textiles in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
			○	○	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated acc.to DIN 58952 part 1		—	—	+	+	+
			—	—	+	+	○
	Textiles in sterilization container with filter in bottom lid,not perforated acc.to DIN 58952 part 1		○	+	+	+	+
			—	○	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. to DIN 58952 part 1		—	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in bottom acc.to DIN 58952 part 1		○	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in bottom not perforated acc.to DIN 58952 part 1		—	+	+	+	+
with Valves (SIB-V)	Textiles in sterilization container with valves in lid and bottom acc. to DIN 58952 part 1		—	○	+	+	○
			—	—	+	+	○
	Textiles in sterilization container with valves in lid no valves on the bottom		—	—	+	+	—
			—	—	+	+	—
	Instruments in wire basket in sterilization container with valve in lid and bottom		—	+	+	+	+
	Instruments in wire basket in sterilization container with valve in lid and not perforated		—	+	+	+	+

Explanation of symbols: + applicable — not applicable ○ limited application

1) In order to avoid mistakes with regards to service, operation and/or when loading the sterilizer, please refer to table 1 for correct or wrong combination of sterilization containers for standardized steam sterilization procedures.
2) Only sterilization containers guaranteeing evaporation or discharge of condensate are suitable above.
3) Gravitation procedures having no drying device do not guarantee a sufficient after-drying effect.

What We Offer?

Solution

Product range for sterile instrument processing of Aygün offers sterilization, transportation and storage solution with different filtering systems for all hospital and clinic instrument sets used in surgery rooms. By providing many different sizes and complementary accessories Aygün provides a universal solution for sterile supply of CSSDs.



feel the perfection
at every point

STANDARD PLUS

Системи стерилізаційних контейнерів

8 *Різних Кольорів*



Контейнери Standard + — це остання модель продукту в асортименті контейнерних систем з покращеними деталями дизайну, представленими на ринку Aygun. Ця модель, яка виробляється зі стабільними та міцними коробками та кришками, також пропонується клієнтам із 8 різними варіантами кодування кольорів із додаванням 2 нових кольорів. Цю модель контейнера можна використовувати як з одноразовим паперовим фільтром, так і з тефлоновим фільтром з 2000 циклів PTFE. Модель, яка підтримує всі додаткові функції, такі як модульне автоматичне блокування, що підтримується попередніми моделями, доступна в 5 різних розмірах. Ручки для перенесення мають можливість рухомості на 90°, але також можна замовити з 8 різними кольорами силіконового покриття.

Замковий механізм, виготовлений з алюмінію, має пружинну систему та може запропонувати більшу гнучкість і ефективність зчеплення. Ящики та кришки виготовлені зі спеціального сплаву алюмінію товщиною 2 мм. Коробки можна замовити з перфорацією або без. Захисні кришки, які є другою кришкою для ефективного зовнішнього захисту, також доступні для 3 основних розмірів.

Типи дна



Дно (Перфороване)



Дно Неперфороване

AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.



Стандартні висоти



110 мм

135 мм

150 мм

200 мм

260 мм

Розміри



1/2 Половина розміру

3/4 Розміру

1/1 Повний розмір

Великий розмір

Довгий розмір

Стр. 28 -29

Стр. 26 -27

Стр. 24 -25

Стр. 30 -31

Стр. 32 -33

STANDARD PLUS


СИСТЕМА СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

1/1 Повний розмір

Типи дна



Дно Перфороване



Дно (Неперфороване)



Дно
(Неперфо
роване)



Дно
(Перфорова
не)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-105	600 x 272 x 96 мм	543 x 258 x 90 мм	1945 г
K6-106	600 x 272 h:116 мм	543 x 258 x 110 мм	2100 г
K6-107	600 x 272 h:138 мм	543 x 258 x 132 мм	2255 г
K6-108	600 x 272 h:190 мм	543 x 258 x 184 мм	2655 г
K6-109	600 x 272 h:235 м	543 x 258 x 229 мм	3100 г

Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-100	600 x 272 x 96 мм	543 x 258 x 78 мм	2200 г
K6-101	600 x 272 h:116 мм	543 x 258 x 99 мм	2360 г
K6-102	600 x 272 h:138 мм	543 x 258 x 121 мм	2520 г
K6-103	600 x 272 h:190 мм	543 x 258 x 173 мм	2975 г
K6-104	600 x 272 h:235 мм	543 x 258 x 218 мм	3355 г

AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8 Різних
Кольорів



Розмір	Вага
585 x 285 мм	1395 г

Перфоровані кришки



Колір	Код
Сірий	K6-3120
Жовтий	K6-3121
Зелений	K6-3122
Блакитний	K6-3123
Червоний	K6-3124
Чорний	K6-3125
Фіолетовий	K6-3126
Бронзовий	K6-3127

Розмір	Вага
585 x 285 мм	1271 г

Знімні кришки



Колір	Код
Сірий	K6-3130
Жовтий	K6-3131
Зелений	K6-3132
Блакитний	K6-3133
Червоний	K6-3134
Чорний	K6-3135
Фіолетовий	K6-3128
Бронзовий	K6-3129

Розмір	Вага
606 x 288 мм	1175 г

Захисні кришки



Колір	Код
Сірий	K6-3230
Жовтий	K6-3231
Зелений	K6-3232
Блакитний	K6-3233
Червоний	K6-3234
Чорний	K6-3235
Фіолетовий	K6-3236
Бронзовий	K6-3237

STANDARD PLUS


СИСТЕМИ СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

3/4 Розміру

Типи дна



Дно (Перфороване)



Дно (Неперфороване)



Дно
(Неперфороване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-305	475 x 272 x 96 мм	422 x 258 x 90 мм	1670 г
K6-306	475 x 272 x 116 мм	422 x 258 x 110 мм	1760 г
K6-307	475 x 272 x 138 мм	422 x 258 x 132 мм	1895 г
K6-308	475 x 272 x 185 мм	422 x 258 x 179 мм	2350 г



Дно
(Перфороване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-300	475 x 272 x 96 мм	422 x 258 x 78 мм	1795 г
K6-301	475 x 272 x 116 мм	422 x 258 x 99 мм	1885 г
K6-302	475 x 272 x 138 мм	422 x 258 x 121 мм	2020 г
K6-303	475 x 272 x 185 мм	422 x 258 x 168 мм	2475 г

AYGUN®



8

Різних
Кольорів



Перфоровані кришки

Розмір	Вага
460 x 285 мм	1060 г



Колір	Код
Сірий	K6-3340
Жовтий	K6-3341
Зелений	K6-3342
Блакитний	K6-3343
Червоний	K6-3344
Чорний	K6-3345
Фіолетовий	K6-3346
Бронзовий	K6-3347

Знімні кришки

Розмір	Вага
460 x 285 мм	988 г



Колір	Код
Сірий	K6-3320
Жовтий	K6-3321
Зелений	K6-3322
Блакитний	K6-3323
Червоний	K6-3324
Чорний	K6-3325
Фіолетовий	K6-3348
Бронзовий	K6-3349

Захисні кришки

Розмір	Вага
483 x 290 мм	913 г



Колір	Код
Сірий	K6-3410
Жовтий	K6-3411
Зелений	K6-3412
Блакитний	K6-3413
Червоний	K6-3414
Чорний	K6-3415
Фіолетовий	K6-3416
Бронзовий	K6-3417

STANDARD PLUS


СИСТЕМА СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

1/2 Половина розміру

Типи дна



Дно (Перфороване)



Дно (Неперфороване)



Дно
(Неперфороване)



Дно
(Перфороване)

Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-605	310 x 272 x 96 мм	253 x 258 x 90 мм	1285 г
K6-606	310 x 272 x 116 мм	253 x 258 x 110 мм	1345 г
K6-607	310 x 272 x 138 мм	253 x 258 x 132 мм	1455 г
K6-608	310 x 272 x 185 мм	253 x 258 x 179 мм	1705 г
K6-609	310 x 272 x 235 мм	253 x 258 x 229 мм	1955 г

Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-600	310 x 272 x 96 мм	253 x 258 x 78 мм	1400 г
K6-601	310 x 272 x 116 мм	253 x 258 x 99 мм	1460 г
K6-602	310 x 272 x 138 мм	253 x 258 x 121 мм	1570 г
K6-603	310 x 272 x 185 мм	253 x 258 x 167 мм	1820 г
K6-604	310 x 272 x 235 мм	253 x 258 x 218 мм	2070 г

AYGUN®



8
Різних
Кольорів



Розмір	Вага
295 x 280 мм	775 г

Перфоровані кришки

Колір	Код
Сірий	K6-3630
Жовтий	K6-3631
Зелений	K6-3632
Блакитний	K6-3633
Червоний	K6-3634
Чорний	K6-3635
Фіолетовий	K6-3636
Бронзовий	K6-3637

Розмір	Вага
295 x 280 мм	667 г

Знімні кришки

Колір	Код
Сірий	K6-3620
Жовтий	K6-3621
Зелений	K6-3622
Блакитний	K6-3623
Червоний	K6-3624
Чорний	K6-3625
Фіолетовий	K6-3638
Бронзовий	K6-3639

Розмір	Вага
317 x 285 мм	659 г

Захисні кришки

Колір	Код
Сірий	K6-3700
Жовтий	K6-3701
Зелений	K6-3702
Блакитний	K6-3703
Червоний	K6-3704
Чорний	K6-3705
Фіолетовий	K6-3706
Бронзовий	K6-3707


STANDARD PLUS

СИСТЕМА СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

Великий розмір



Дно (Перфорований)



Дно (Неперфороване)

AYGUN®
АЙГУН®



8
Різних
Кольорів



Дно
(Неперфо
роване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-402	600 x 365 x 105 мм	543 x 350 x 99 мм	2365 г
K6-403	600 x 365 x 167 мм	543 x 350 x 161 м	2890 г



Дно
(Перфорова
не)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-400	600 x 365x 105 мм	543 x 350 x 88 мм	2620 г
K6-401	600 x 365x 167 мм	543 x 350 x 150 мм	3145 г

Розмір	Вага
583 x 370 мм	1675 г

Колір	Код
Сірий	K6-3326
Жовтий	K6-3327
Зелений	K6-3328
Блакитний	K6-3329
Червоний	K6-3330
Чорний	K6-3331
Фіолетовий	K6-3315
Бронзовий	K6-3316

Розмір	Вага
583 x 370 мм	1405 г

Колір	Код
Сірий	K6-3332
Жовтий	K6-3333
Зелений	K6-3334
Блакитний	K6-3335
Червоний	K6-3336
Чорний	K6-3337
Фіолетовий	K6-3338
Бронзовий	K6-3339

STANDARD PLUS


СИСТЕМА СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

Довгий розмір

Типи дна



Дно (Перфороване)



Дно (Неперфороване)



Дно
(Неперфороване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-2005	725 x 275 x 127 мм	670 x 260 x 121 мм	2446 г
K6-2007	725 x 275 x 134 мм	670 x 260 x 128 мм	2503 г
K6-2006	725 x 275 x 191 мм	670 x 260 x 185 мм	2974 г



Дно
(Перфороване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-2000	725 x 275 x 127 мм	670 x 260 x 110 мм	2700 г
K6-2002	725 x 275 x 134 мм	670 x 260 x 117 мм	2792 г
K6-2001	725 x 275 x 191 мм	670 x 260 x 173 мм	3230 г

AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8
Різних
Кольорів



Perforated Lids	Розмір	Вага
	710 x 285 мм	1572 г
Колір	Код	
— Сірий	K6-3370	
— Жовтий	K6-3371	
— Зелений	K6-3372	
— Блакитний	K6-3373	
— Червоний	K6-3374	
— Чорний	K6-3375	
— Фіолетовий	K6-3376	
— Бронзовий	K6-3377	

Removal Lids	Розмір	Вага
	710 x 285 мм	1287 г
Колір	Код	
— Сірий	K6-3380	
— Жовтий	K6-3381	
— Зелений	K6-3382	
— Блакитний	K6-3383	
— Червоний	K6-3384	
— Чорний	K6-3385	
— Фіолетовий	K6-3386	
— Бронзовий	K6-3387	

BIO BARRIER

СИСТЕМА СТЕРИЛІЗАЦІЙНИХ КОНТЕЙНЕРІВ

8 Різних Кольорів

Системи стерилізаційних контейнерів моделі Aygün Bio-Barrier розроблені з механічними клапанами як на дні, так і на кришці, які працюють таким чином, що вони не потребують використання одноразових фільтрів і можуть використовуватися щонайменше 5000 циклів. Системи механічних клапанів, встановлені на кришці або коробці, працюють під впливом атмосферного тиску, що виникає в автоклаві під час стерилізації. Коли починається процес стерилізації, через тиск, що виникає (+), клапани відкриваються і пропускають пару в стерилізаційний контейнер. Коли процес вакуумування починається в кінці стерилізації, через тиск, що виникає (-), випускний клапан пари відкривається, і пара виходить із коробки. Коли процес стерилізації завершено, оскільки в автоклаві немає тиску (+ або -), обидва клапани знаходяться в закритому положенні. Таким чином, він отримує можливість зберігати продукти в ньому стерилізованими. Клапани закриті на 100 % завдяки спеціальним силіконовим прокладкам на механічних системах клапанів. Крім того, система механічних клапанів цих стерилізаційних контейнерів може бути демонтована користувачем, щоб контролювати її за бажанням.

Системи стерилізаційних контейнерів моделі Aygün Bio-Barrier виготовляються у вигляді п'яти різних довжин, ширини та висоти та можуть поставятися з захисними кришками для ефективного зовнішнього захисту. Ці захисні кришки не заважають стерилізації та забезпечують захист клапанного механізму від рідин і пилу як додаткова кришка. Усі моделі та розміри мають спеціальні кошики та аксесуари, які можна переглянути в наступних розділах. Для цієї моделі стерилізаційного контейнера також доступний модульний автоматичний механізм блокування (термозамок), який забезпечує гарантію стерильності, і вікно індикатора, що забезпечує видимість результату картки індикатора шляхом візуального контролю без відкриття кришки.

Типи дна



Дно (3 бар'єром)



Дно (Неперфороване)

AYGÜN[®]
SURGICAL INSTRUMENTS CO. INC.



Стандартні висоти



110 мм

135 мм

150 мм

200 мм

260 мм

Розміри



1/2 Половина розміру

3/4 Розміру

1/1 Повний розмір

Великий розмір

Довгий розмір

Стр. 42 -43

Стр. 40 -41

Стр. 38 -39


Стр. 44 -45

Стр. 46 -47




Частини механізму бар'єру


Контейнери моделі Barrier складаються з «механічної системи фільтрації». Клапани всередині цієї системи фільтрації мають три різних положення під час циклу стерилізації, які називаються розслабленим положенням, передстерилізаційним і постстерилізаційним. Його можна використовувати не менше 5000 циклів.




Поперечний розріз механізму та принципи роботи




Перед циклом стерилізації клапани контейнера моделі Barrier закриті та перебувають у розслабленому положенні.




На початку циклу стерилізації під дією вакууму клапани повністю відкриваються, і з контейнера виходить сухе повітря.



Під час циклу стерилізації клапани відкриваються під дією тиску у зворотному напрямку, абсолютно протилежному до шляху, що переміщується під дією вакууму.



Під час циклу стерилізації клапани відкриваються під дією тиску у зворотному напрямку, абсолютно протилежному до шляху, ніж під дією вакууму.



Після циклу стерилізації клапани контейнера бар'єрної моделі закриті та перебувають у розслабленому положенні.

BIO BARRIER

СИСТЕМИ СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

1/1 Повний розмір

Типи дна



Дно (З бар'єром)



Дно (Неперфароване)



Дно
(Неперфо
роване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-105	600 x 272 x 96 мм	543 x 258 x 90 мм	1945 г
K6-106	600 x 272 h:116 мм	543 x 258 x 110 мм	2100 г
K6-107	600 x 272 h:138 мм	543 x 258 x 132 мм	2255 г
K6-108	600 x 272 h:190 мм	543 x 258 x 184 мм	2655 г
K6-109	600 x 272 h:235 мм	543 x 258 x 229 мм	3100 г



Дно
(З бар'єром)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K7-100	600 x 272 x 108 мм	543 x 258 x 60 мм	2640 г
K7-101	600 x 272 h:128 мм	543 x 258 x 76 мм	2840 г
K7-102	600 x 272 h:150 мм	543 x 258 x 98 мм	2940 г
K7-103	600 x 272 h:197 мм	543 x 258 x 150 мм	3390 г
K7-104	600 x 272 h:247 мм	543 x 258 x 195 м	3780 г

AYGUN®



8
Різних
Кольорів



Кришки з бар'єрною системою

Розмір
585 x 285 мм

Вага
1840 г



Колір	Код
Сірий	K7-120
Жовтий	K7-121
Зелений	K7-122
Блакитний	K7-123
Червоний	K7-124
Чорний	K7-125
Фіолетовий	K7-126
Бронзовий	K7-127

Захищені кришки

Розмір
606 x 288 мм

Вага
1200 г



Колір	Код
Сірий	K7-400
Жовтий	K7-401
Зелений	K7-402
Блакитний	K7-403
Червоний	K7-404
Чорний	K7-405
Фіолетовий	K7-418
Бронзовий	K7-419

BIO BARRIER

СИСТЕМА СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

3/4 Розміру

Типи дна



Дно (З бар'єром)



Дно (Неперфороване)



Дно
(Неперфороване)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-305	475 x 272 x 96 мм	422 x 258 x 90 мм	1670 г
K6-306	475 x 272 x 116 мм	422 x 258 x 110 мм	1760 г
K6-307	475 x 272 x 138 мм	422 x 258 x 132 мм	1895 г
K6-308	475 x 272 x 185 мм	422 x 258 x 179 мм	2350 г



Дно
(З бар'єром)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K7-300	475 x 272 x 108 мм	422 x 258 x 60 мм	2020 г
K7-301	475 x 272 x 128 мм	422 x 258 x 76 мм	2130 г
K7-302	475 x 272 x 150 мм	422 x 258 x 98 мм	2260 г
K7-303	475 x 272 x 197 мм	422 x 258 x 145 мм	2530 г

AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8
Різних
Кольорів



Кришки з бар'єрною системою

Розмір	Вага
460 x 285 мм	1250 г



Розмір	Код
Сірий	K7-340
Жовтий	K7-341
Зелений	K7-342
Блакитний	K7-343
Червоний	K7-344
Чорний	K7-345
Фіолетовий	K7-346
Бронзовий	K7-347

Захисні кришки

Розмір	Вага
483 x 290 мм	1000 г



Колір	Код
Сірий	K7-406
Жовтий	K7-407
Зелений	K7-408
Блакитний	K7-409
Червоний	K7-410
Чорний	K7-411
Фіолетовий	K7-420
Бронзовий	K7-421

BIO BARRIER

СИСТЕМИ СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

1/2 Половина розміру

Типи дна



Дно (З бар'єром)



Дно (Неперфорований)



Дно
(Неперфорований)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K6-605	310 x 272 x 96 мм	253 x 258 x 90 мм	1285 г
K6-606	310 x 272 x 116 мм	253 x 258 x 110 мм	1345 г
K6-607	310 x 272 x 138 мм	253 x 258 x 132 мм	1455 г
K6-608	310 x 272 x 190 мм	253 x 258 x 184 мм	1705 г
K6-609	310 x 272 x 235 мм	253 x 258 x 229 мм	1955 г



Дно
(З бар'єром)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K7-600	310 x 272 x 108 мм	253 x 258 x 60 мм	1710 г
K7-601	310 x 272 x 128 мм	253 x 258 x 76 мм	1770 г
K7-602	310 x 272 x 150 мм	253 x 258 x 98 мм	1880 г
K7-603	310 x 272 x 197 мм	253 x 258 x 150 мм	2130 г
K7-604	310 x 272 x 247 мм	253 x 258 x 195 мм	2380 г

AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8
Різних
Кольорів



Кришки з бар'єрною системою

Розмір 295 x 280 мм
Вага 980 г



Колір	Код
Сірий	K7-630
Жовтий	K7-631
Зелений	K7-632
Блакитний	K7-633
Червоний	K7-634
Чорний	K7-635
Фіолетовий	K7-636
Бронзовий	K7-637

Захисні кришки

Розмір 317 x 285 мм
Вага 700 г



Колір	Код
Сірий	K7-412
Жовтий	K7-413
Зелений	K7-414
Блакитний	K7-415
Червоний	K7-416
Чорний	K7-417
Фіолетовий	K7-422
Бронзовий	K7-423

BIO BARRIER

СИСТЕМИ СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

Довгий розмір

Типи дна



Дно (З бар'єром)



Дно (Неперфороване)

AYGUN®

AYGUN®

8

Різних
Кольорів



Дно
(Неперфо-
рований)



K6-402	600 x 365 x 105 мм	543 x 350 x 99 мм	2365 г
K6-403	600 x 365 x 167 мм	543 x 350 x 161 мм	2890 г



Дно
(З бар'єром)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K7-700	600 x 365 x 117 мм	543 x 350 x 65 мм	3045 г
K7-701	600 x 365 x 179 мм	543 x 350 x 127 мм	3570 г



Кришки з бар'єрною системою

Розмір	Вага
583 x 370 мм	2055 г

Колір	Код
Сірий	K7-326
Жовтий	K7-327
Зелений	K7-328
Блакитний	K7-329
Червоний	K7-330
Чорний	K7-331
Фіолетовий	K7-315
Бронзовий	K7-316

BIO BARRIER

СИСТЕМИ СТЕРИЛІЗАЦІЙНИХ
КОНТЕЙНЕРІВ

Довгий розмір

Типи дна



Дно (З бар'єром)



Дно (Неперфороване)



Дно
(Неперфороване)



K6-2005	725 x 275 x 127 мм	670 x 260 x 121 мм	2446 г
K6-2007	725 x 275 x 134 мм	670 x 260 x 128 мм	2503 г
K6-2006	725 x 275 x 191 мм	670 x 260 x 185 мм	2974 г



Дно
(З бар'єром)



Код	Зовнішні розміри	Внутрішні розміри	Вага
K7-2000	725 x 275 x 138 мм	670 x 260 x 104 мм	3150 г
K7-2002	725 x 275 x 145 мм	670 x 260 x 111 мм	3282 г
K7-2001	725 x 275 x 203 мм	670 x 260 x 170 мм	3660 г

AYGUN®
SUDRESCHEK TECHNOLOGIES GMBH, UKR



8
Різних
Кольорів



Розмір	Вага
710 x 285 мм	2000 г

Color	Code
Сірий	K7-2120
Жовтий	K7-2121
Зелений	K7-2122
Блакитний	K7-2123
Червоний	K7-2124
Чорний	K7-2125
Фіолетовий	K7-2126
Бронзовий	K7-2127

Кришки з бар'єрною системою



B³ Barrier

STERILE CONTAINER SYSTEMS

PTFE  Valve  Biostop

8 Different Colours 

Aygün B3 model sterilization container systems are designed to provide different filtering mechanisms in a single sterilization container according to user preference. Without buying a new lid, the users are able to change the filtering system on the lid. Aygün B3 model sterilization container systems can be used with 3 different filtering mechanisms.

PTFE System: This filtering mechanism is used with 2000 cycles PTFE Teflon Filter which can be changed by the user easily like in standard model filter-based sterilization containers. The filter used in this system is provided only by Aygün which is placed in a cassette

Valve system: Valve system is modernized new model of Aygün Bio-Barrier systems and has the same running principal. This system works with mechanic valve with positive and negative pressure occurred during sterilization in autoclave and can be used minimum 5000 cycles.

Bio-Stop System: The Bio-Stop system is a flow inhibition system based on a principle discovered by Louis Pasteur. With a separation efficiency of 99.99 %, it offers significantly better protection against microbes and particles. This system can be used minimum 5000 cycles.

Aygün B3 model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.

Box Types



Box (With System)



Box (Non Perforated)



Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

Dimensions



1/2 Half Size

3/4 Quarter Size

1/1 Full Size

Extra Large Size

Extra Long Size

Page 58 -59

Page 56 -57

Page 54 -55

Page 60 -61

Page 62 -63

Filtering Systems

VALVE
System



Mechanism Icon



VALVE System
Mechanism Parts



Filtering Systems

PTFE
System



Mechanism Icon



PTFE System
Mechanism Parts



Filtering
Systems

BIO-STOP
System ppsu



Mechanism Icon



BIO-STOP System ppsu
Mechanism Parts



Filtering
Systems

BIO-STOP
System aluminium



Mechanism Icon



BIO-STOP System aluminium
Mechanism Parts



B³ Barrier

STERILE CONTAINER SYSTEMS

PTFE  Valve  Biostop

1/1 Full Size

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours 

Box Types



Box (With System)



Box (Non Perforated)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-105	600 x 272 x 96 mm	543 x 258 x 90 mm	1945 g
K6-106	600 x 272 h:116 mm	543 x 258 x 110 mm	2100 g
K6-107	600 x 272 h:138 mm	543 x 258 x 132 mm	2255 g
K6-108	600 x 272 h:190 mm	543 x 258 x 184 mm	2655 g
K6-109	600 x 272 h:235 mm	543 x 258 x 229 mm	3100 g



Box (With System)



Outside Dimension : 600 x 272

Inside Dimension : 543 x 258

PTFE system



Code: K1-970
Weight: 155 g

Code

K8-100P
K8-101P
K8-102P
K8-103P
K8-104P

VALVE system




Code: K1-980
Weight: 165 g

Code

K8-100V
K8-101V
K8-102V
K8-103V
K8-104V

BIO-STOP ppsu



Code: K1-990
Weight: 290 g

Code

K8-100B
K8-101B
K8-102B
K8-103B
K8-104B

BIO-STOP aluminium



Code: K1-990A
Weight: 430 g

Code outside / inside height

K8-100BA 110 mm 63 mm
K8-101BA 130 mm 81 mm
K8-102BA 150 mm 101 mm
K8-103BA 200 mm 153 mm
K8-104BA 250 mm 199 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-120P	K8-120V	K8-120B	K8-120BA
Yellow	K8-121P	K8-121V	K8-121B	K8-121BA
Green	K8-122P	K8-122V	K8-122B	K8-122BA
Blue	K8-123P	K8-123V	K8-123B	K8-123BA
Red	K8-124P	K8-124V	K8-124B	K8-124BA
Black	K8-125P	K8-125V	K8-125B	K8-125BA
Purple	K8-126P	K8-126V	K8-126B	K8-126BA
Bronze	K8-127P	K8-127V	K8-127B	K8-127BA
Weight	1570 g	1600 g	1805 g	2300 g
Dimension: 585 x 285 mm				

Safety Lids



Color	Code
Grey	K6-230
Yellow	K6-231
Green	K6-232
Blue	K6-233
Red	K6-234
Black	K6-235
Purple	K6-236
Bronze	K6-237
Weight	1050 g
Dimension: 606 x 288 mm	

B³ Barrier

STERILE CONTAINER SYSTEMS

PTFE  Valve  Biostop

3/4 Quarter Size

AYGUN®
SURFACE INSTRUMENTS CO., INC.



8 Different Colours 

Box Types



Box (With System)



Box (Non Perforated)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-305	475 x 272 x 96 mm	422 x 258 x 90 mm	1609 g
K6-306	475 x 272 x 116 mm	422 x 258 x 110 mm	1714 g
K6-307	475 x 272 x 138 mm	422 x 258 x 132 mm	1842 g
K6-308	475 x 272 x 185 mm	422 x 258 x 179 mm	2117 g



Box (With System)



Outside Dimension : 475 x 272

Inside Dimension : 422 x 258

PTFE system



Code: K1-970
Weight: 155 g

Code

K8-300P
K8-301P
K8-302P
K8-303P

VALVE system



Code: K1-980
Weight: 165 g

Code

K8-300V
K8-301V
K8-302V
K8-303V

BIO-STOP ppsu



Code: K1-990
Weight: 290 g

Code

K8-300B
K8-301B
K8-302B
K8-303B

BIO-STOP aluminium



Code: K1-990A
Weight: 430 g

Code outside / inside height

K8-300BA 110 mm 63 mm
K8-301BA 130 mm 81 mm
K8-302BA 150 mm 101 mm
K8-303BA 197 mm 150 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-340P	K8-340V	K8-340B	K8-340BA
Yellow	K8-341P	K8-341V	K8-341B	K8-341BA
Green	K8-342P	K8-342V	K8-342B	K8-342BA
Blue	K8-343P	K8-343V	K8-343B	K8-343BA
Red	K8-344P	K8-344V	K8-344B	K8-344BA
Black	K8-345P	K8-345V	K8-345B	K8-345BA
Purple	K8-346P	K8-346V	K8-346B	K8-346BA
Bronze	K8-347P	K8-347V	K8-347B	K8-347BA
Weight	1030 g	1045 g	1170 g	1385 g
Dimension: 460 x 285 mm				

Safety Lids



Color	Code
Grey	K6-410
Yellow	K6-411
Green	K6-412
Blue	K6-413
Red	K6-414
Black	K6-415
Purple	K6-416
Bronze	K6-417
Weight	: 900 g
Dimension: 483 x 290 mm	

1/2 Half Size

Box Types



Box (With System)



Box (Non Perforated)



8 Different Colours



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-605	310 x 272 x 96 mm	253 x 258 x 90 mm	1285 g
K6-606	310 x 272 x 116 mm	253 x 258 x 110 mm	1345 g
K6-607	310 x 272 x 138 mm	253 x 258 x 132 mm	1455 g
K6-608	310 x 272 x 185 mm	253 x 258 x 179 mm	1705 g
K6-609	310 x 272 x 235 mm	253 x 258 x 229 mm	1955 g



Box
(With System)



Outside Dimension : 310 x 272

Inside Dimension : 253 x 258

PTFE system ▶	Code	VALVE system ▶	Code	BIO-STOP ppsu ▶	Code	BIO-STOP aluminium ▶	Code	outside / inside height
	K8-600P		K8-600V		K8-600B		K8-600BA	110 mm 63 mm
	K8-601P		K8-601V		K8-601B		K8-601BA	130 mm 81 mm
	K8-602P		K8-602V		K8-602B		K8-602BA	150 mm 101 mm
	K8-603P		K8-603V		K8-603B		K8-603BA	200 mm 153 mm
Code: K1-970 Weight: 155 g	K8-604P	Code: K1-980 Weight: 165 g	K8-604V	Code: K1-990 Weight: 290 g	K8-604B	Code: K1-990A Weight: 430 g	K8-604BA	250 mm 199 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
 Grey	K8-630P	K8-630V	K8-630B	K8-630BA
 Yellow	K8-631P	K8-631V	K8-631B	K8-631BA
 Green	K8-632P	K8-632V	K8-632B	K8-632BA
 Blue	K8-633P	K8-633V	K8-633B	K8-633BA
 Red	K8-634P	K8-634V	K8-634B	K8-634BA
 Black	K8-635P	K8-635V	K8-635B	K8-635BA
 Purple	K8-636P	K8-636V	K8-636B	K8-636BA
 Bronze	K8-637P	K8-637V	K8-637B	K8-637BA
Weight	850 g	865 g	985 g	1200 g
Dimension: 295 x 280 mm				

Safety Lids



Color	Code
 Grey	K6-700
 Yellow	K6-701
 Green	K6-702
 Blue	K6-703
 Red	K6-704
 Black	K6-705
 Purple	K6-706
 Bronze	K6-707

Weight : 610 g

Dimension: 317 x 285 mm

B³arrier

STERILE CONTAINER SYSTEMS

PTFE  Valve  Biostop

Extra Large Size

Box Types



Box (With System)



Box (Non Perforated)

AYGUN[®]
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours 



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-402	600 x 365 x 105 mm	543 x 350 x 99 mm	2271 g
K6-403	600 x 365 x 167 mm	543 x 350 x 161 mm	2856 g



Box (With System)



Outside Dimension : 600 x 365

Inside Dimension : 543 x 350

PTFE system



Code: K1-970
Weight: 155 g

Code
K8-700P
K8-701P

VALVE system



Code: K1-980
Weight: 165 g

Code
K8-700V
K8-701V

BIO-STOP ppsu



Code: K1-990
Weight: 290 g

Code
K8-700B
K8-701B

BIO-STOP aluminium



Code: K1-990A
Weight: 430 g

Code outside / inside height
K8-700BA 120 mm 69 mm
K8-701BA 180 mm 131 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
 Grey	K8-326P	K8-326V	K8-326B	K8-326BA
 Yellow	K8-327P	K8-327V	K8-327B	K8-327BA
 Green	K8-328P	K8-328V	K8-328B	K8-328BA
 Blue	K8-329P	K8-329V	K8-329B	K8-329BA
 Red	K8-330P	K8-330V	K8-330B	K8-330BA
 Black	K8-331P	K8-331V	K8-331B	K8-331BA
 Purple	K8-315P	K8-315V	K8-315B	K8-315BA
 Bronze	K8-316P	K8-316V	K8-316B	K8-316BA
Weight	1830 g	1854 g	2090 g	2347 g
Dimension: 583 x 370 mm				

B³ Barrier

STERILE CONTAINER SYSTEMS

PTFE  Valve  Biostop

Extra Long Size

Box Types



Box (With System)



Box (Non Perforated)

AYGUN®



8 Different Colours



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-2005	725 x 275 x 127 mm	670 x 260 x 121 mm	2446 g
K6-2007	725 x 275 x 134 mm	670 x 260 x 128 mm	2503 g
K6-2006	725 x 275 x 191 mm	670 x 260 x 185 mm	2974 g



Box (With System)



Outside Dimension : 725 x 275

Inside Dimension : 670 x 260

PTFE system



Code: K1-970
Weight: 155 g

Code

K8-2000P
K8-2001P
K8-2002P

VALVE system



Code: K1-980
Weight: 165 g

Code

K8-2000V
K8-2001V
K8-2002V

BIO-STOP ppsu



Code: K1-990
Weight: 290 g

Code

K8-2000B
K8-2001B
K8-2002B

BIO-STOP aluminium



Code: K1-990A
Weight: 430 g

Code	outside / inside height
K8-2000BA	138 mm 95 mm
K8-2002BA	145 mm 102 mm
K8-2001BA	203 mm 163 mm

B3 Barrier Lids



Color	PTFE system	VALVE system	BIO-STOP ppsu	BIO-STOP aluminium
Grey	K8-2120P	K8-2120V	K8-2120B	K8-2120BA
Yellow	K8-2121P	K8-2121V	K8-2121B	K8-2121BA
Green	K8-2122P	K8-2122V	K8-2122B	K8-2122BA
Blue	K8-2123P	K8-2123V	K8-2123B	K8-2123BA
Red	K8-2124P	K8-2124V	K8-2124B	K8-2124BA
Black	K8-2125P	K8-2125V	K8-2125B	K8-2125BA
Purple	K8-2126P	K8-2126V	K8-2126B	K8-2126BA
Bronze	K8-2127P	K8-2127V	K8-2127B	K8-2127BA
Weight	1386 g	1810 g	2047 g	2303 g
Dimension: 710 x 285 mm				

PPSU MODELS

STERILE CONTAINER SYSTEMS

6 Different Colours



Aygün PPSU model sterilization container systems are structured with aluminum boxes and High Performance Polymer Lids. PPSU model sterilization container systems are resistant against high temperature (up to 190°C), impacts, scratches, deformation, discoloration and chemicals. The PPSU model lids are lighter compared to aluminum lids. As an addition to basic six different colors, these sterilization container systems are also available with transparent lid option that provides the users see inside the container without opening the lid.

Aygün PPSU model sterilization container systems can be used with single use paper filter or reusable PTFE Teflon filters. It can also be manufactured with Bio-Barrier or Bio-Stop model.

Aygün PPSU model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.

Box Types



Box (With Barrier)



Box (With Filter)



Box (Non Perforated)

AYGUN®
ALUMINUM CONTAINERS FOR LAB., IND.



Standard Heights



110 mm

135 mm

150 mm

200 mm

260 mm

Dimensions



Bio Barrier Models & Classic Models

1/1 Full Size

3/4 Quarter Size

1/2 Half Size

Page 68 -69

Page 70 -71


Page 72 -73

What is PPSU?

PPSU is Polyphenylsulfone, an amorphous plastic. This material combines a high melting temperature with quite a low moisture absorption. PPSU has a high impact strength and chemical resistance. The material is also resistant to detergents and disinfectants. It has a high heat distortion temperature up to 190 °C and can be easily sterilized by superheated steam.

PPSU Polymer Trays

We perform our customers' special production requests in a manner that does not violate international patent and intellectual property rights. In this way, we increase the flexibility and competitiveness of our valued customers.



Polymer PPSU Lids Are;

High Quality

Lighter

Six Different Colors

Transparent Option

6 Different Colours



Resistant Against;

- Impact
- Discoloration
- Scratch
- Heat
- Deformation
- Chemical



Pay attention to;

Solvents such as acetone, thinner, and gas should not be used.
Distilled water or water without mineral should be used for the last rinsing procedure.

PPSU MODELS

STERILE CONTAINER
SYSTEMS

1/1 Full Size


Box Types



Box (With Barrier)



Box (With Filter)



Box (Non Perforated)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



6 Different
Colours



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-105	600 x 272 x 96 mm	543 x 258 x 90 mm	1945 g
K6-106	600 x 272 h:116 mm	543 x 258 x 110 mm	2100 g
K6-107	600 x 272 h:138 mm	543 x 258 x 132 mm	2255 g
K6-108	600 x 272 h:190 mm	543 x 258 x 184 mm	2655 g
K6-109	600 x 272 h:235 mm	543 x 258 x 229 mm	3100 g



Box
(With Filter)



Code	Outside Dimension	Inside Dimension	Weight
K6-100	600 x 272 x 96 mm	543 x 258 x 78 mm	2200 g
K6-101	600 x 272 h:116 mm	543 x 258 x 99 mm	2360 g
K6-102	600 x 272 h:138 mm	543 x 258 x 121 mm	2520 g
K6-103	600 x 272 h:190 mm	543 x 258 x 173 mm	2975 g
K6-104	600 x 272 h:235 mm	543 x 258 x 218 mm	3355 g



Box
(With Barrier)



Code	Outside Dimension	Inside Dimension	Weight
K7-100	600 x 272 x 96 mm	543 x 258 x 60 mm	2640 g
K7-101	600 x 272 h:116 mm	543 x 258 x 76 mm	2840 g
K7-102	600 x 272 h:138 mm	543 x 258 x 98 mm	2940 g
K7-103	600 x 272 h:190 mm	543 x 258 x 150 mm	3390 g
K7-104	600 x 272 h:235 mm	543 x 258 x 195 mm	3780 g

Perforated Lids

Dimension	Weight
602 x 285 mm	1385 g



Color	Code
Grey	KP6-120
Yellow	KP6-121
Blue	KP6-123
Red	KP6-124
Black	KP6-125
Transparent	KT6-120

Barrier System Lids

Dimension	Weight
602 x 285 mm	1810 g



Color	Code
Grey	KP7-120
Yellow	KP7-121
Blue	KP7-123
Red	KP7-124
Black	KP7-125
Transparent	KT7-120

PPSU MODELS

STERILE CONTAINER
SYSTEMS

3/4 Quarter Size


Box Types



Box (With Barrier)



Box (With Filter)



Box (Non Perforated)

AYGUN®
SÜNTEREK TEKNOLOJİLERİ A.Ş.



6 Different
Colours



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-305	475 x 272 x 96 mm	422 x 258 x 90 mm	1670 g
K6-306	475 x 272 x 116 mm	422 x 258 x 110 mm	1760 g
K6-307	475 x 272 x 138 mm	422 x 258 x 132 mm	1895 g
K6-308	475 x 272 x 185 mm	422 x 258 x 179 mm	2350 g



Box
(With Filter)



Code	Outside Dimension	Inside Dimension	Weight
K6-300	475 x 272 x 96 mm	422 x 258 x 78 mm	1795 g
K6-301	475 x 272 x 116 mm	422 x 258 x 99 mm	1885 g
K6-302	475 x 272 x 138 mm	422 x 258 x 121 mm	2020 g
K6-303	475 x 272 x 190 mm	422 x 258 x 168 mm	2475 g



Box
(With Barrier)



Code	Outside Dimension	Inside Dimension	Weight
K7-300	475 x 272 x 96 mm	422 x 258 x 60 mm	2020 g
K7-301	475 x 272 x 116 mm	422 x 258 x 76 mm	2130 g
K7-302	475 x 272 x 138 mm	422 x 258 x 98 mm	2260 g
K7-303	475 x 272 x 190 mm	422 x 258 x 145 mm	2530 g

Perforated Lids

Dimension	Weight
477 x 285 mm	1015 g



Color	Code
Grey	KP6-340
Yellow	KP6-341
Blue	KP6-343
Red	KP6-344
Black	KP6-345
Transparent	KT6-340

Barrier System Lids

Dimension	Weight
477 x 285 mm	1240 g



Color	Code
Grey	KP7-340
Yellow	KP7-341
Blue	KP7-343
Red	KP7-344
Black	KP7-345
Transparent	KT7-340

PPSU MODELS

STERILE CONTAINER
SYSTEMS

1/2 Half Size

Box Types



Box (With Barrier)



Box (With Filter)



Box (Non Perforated)

AYGUN®
MEDICAL TECHNOLOGY CO., LTD.



6 Different
Colours



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-605	310 x 272 x 96 mm	253 x 258 x 90 mm	1285 g
K6-606	310 x 272 x 116 mm	253 x 258 x 110 mm	1345 g
K6-607	310 x 272 x 138 mm	253 x 258 x 132 mm	1455 g
K6-608	310 x 272 x 190 mm	253 x 258 x 184 mm	1705 g
K6-609	310 x 272 x 235 mm	253 x 258 x 229 mm	1955 g



Box (With Filter)



Code	Outside Dimension	Inside Dimension	Weight
K6-600	310 x 272 x 96 mm	253 x 258 x 78 mm	1400 g
K6-601	310 x 272 x 116 mm	253 x 258 x 99 mm	1460 g
K6-602	310 x 272 x 138 mm	253 x 258 x 121 mm	1570 g
K6-603	310 x 272 x 190 mm	253 x 258 x 173 mm	1820 g
K6-604	310 x 272 x 235 mm	253 x 258 x 218 mm	2070 g



Box (With Barrier)



Code	Outside Dimension	Inside Dimension	Weight
K7-600	310 x 272 x 96 mm	253 x 258 x 60 mm	1710 g
K7-601	310 x 272 x 116 mm	253 x 258 x 76 mm	1770 g
K7-602	310 x 272 x 138 mm	253 x 258 x 98 mm	1880 g
K7-603	310 x 272 x 190 mm	253 x 258 x 150 mm	2130 g
K7-604	310 x 272 x 235 mm	253 x 258 x 195 mm	2380 g

Perforated Lids

Dimension	Weight
312 x 280 mm	730 g



Color	Code
Grey	KP6-630
Yellow	KP6-631
Blue	KP6-633
Red	KP6-634
Black	KP6-635
Transparent	KT6-630

Barrier System Lids

Dimension	Weight
312 x 280 mm	995 g



Color	Code
Grey	KP7-630
Yellow	KP7-631
Blue	KP7-633
Red	KP7-634
Black	KP7-635
Transparent	KT7-630

STANDARD

STERILE CONTAINER SYSTEMS

8 Different Colours

Aygün standard model container systems are designed for perfect steam flow and penetration for loads suitable to the standards and can be used with single use paper filter or reusable PTFE Teflon filters. The standard model sterilization containers are equipped with silicone coated carrying handles which have 90° mobility and its ergonomic design provides easy and secure carrying facilities. The gaskets inside the lid and filter retainer ensure perfect tightness while locking mechanism of this system provides excellent grip with its flexible structure.

Aygün standard model sterilization container systems are manufactured as five different length, width and height and can be supplied with perforated or non-perforated boxes, perforated lids and safety lids for effective external protection. These safety lids do not interfere with sterilization and they provides protection to the perforated lid and the filter system against hard objects, liquids and dust as a second lid. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.

Box Types



Box (Perforated)



Box (Non Perforated)



Standard Heights



110 mm 135 mm 150 mm 200 mm 260 mm

Dimensions



1/2 Half Size 3/4 Quarter Size 1/1 Full Size Extra Large Size Extra Long Size

Page 80 -81 Page 78 -79 Page 76 -77 Page 82 -83 Page 84 -85

STANDARD

STERILE CONTAINER
SYSTEMS

1/1 Full Size

Box Types



Box (Perforated)



Box (Non Perforated)

AYGUN®
STERILE CONTAINER SYSTEMS



8 Different
Colours



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-105	600 x 272 x 96 mm	543 x 258 x 90 mm	1945 g
K6-106	600 x 272 h:116 mm	543 x 258 x 110 mm	2100 g
K6-107	600 x 272 h:138 mm	543 x 258 x 132 mm	2255 g
K6-108	600 x 272 h:190 mm	543 x 258 x 184 mm	2655 g
K6-109	600 x 272 h:235 mm	543 x 258 x 229 mm	3100 g



Box
(Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-100	600 x 272 x 96 mm	543 x 258 x 78 mm	2200 g
K6-101	600 x 272 h:116 mm	543 x 258 x 99 mm	2360 g
K6-102	600 x 272 h:138 mm	543 x 258 x 121 mm	2520 g
K6-103	600 x 272 h:190 mm	543 x 258 x 173 mm	2975 g
K6-104	600 x 272 h:235 mm	543 x 258 x 218 mm	3355 g

Dimension	Weight
585 x 285 mm	1370 g

Color	Code
Grey	K6-120
Yellow	K6-121
Green	K6-122
Blue	K6-123
Red	K6-124
Black	K6-125
Purple	K6-126
Bronze	K6-127

Dimension	Weight
585 x 285 mm	1100 g

Color	Code
Grey	K6-130
Yellow	K6-131
Green	K6-132
Blue	K6-133
Red	K6-134
Black	K6-135
Purple	K6-128
Bronze	K6-129

Dimension	Weight
606 x 288 mm	1115 g

Color	Code
Grey	K6-230
Yellow	K6-231
Green	K6-232
Blue	K6-233
Red	K6-234
Black	K6-235
Purple	K6-236
Bronze	K6-237

STANDARD

STERILE CONTAINER
SYSTEMS

3/4 Quarter Size

Box Types



Box (Perforated)



Box (Non Perforated)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-305	475 x 272 x 96 mm	422 x 258 x 90 mm	1670 g
K6-306	475 x 272 x 116 mm	422 x 258 x 110 mm	1760 g
K6-307	475 x 272 x 138 mm	422 x 258 x 132 mm	1895 g
K6-308	475 x 272 x 185 mm	422 x 258 x 179 mm	2350 g



Box (Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-300	475 x 272 x 96 mm	422 x 258 x 78 mm	1795 g
K6-301	475 x 272 x 116 mm	422 x 258 x 99 mm	1885 g
K6-302	475 x 272 x 138 mm	422 x 258 x 121 mm	2020 g
K6-303	475 x 272 x 190 mm	422 x 258 x 168 mm	2475 g

Dimension	Weight
460 x 285 mm	1020 g

Color	Code
Grey	K6-340
Yellow	K6-341
Green	K6-342
Blue	K6-343
Red	K6-344
Black	K6-345
Purple	K6-346
Bronze	K6-347

Dimension	Weight
460 x 285 mm	950 g

Color	Code
Grey	K6-320
Yellow	K6-321
Green	K6-322
Blue	K6-323
Red	K6-324
Black	K6-325
Purple	K6-348
Bronze	K6-349

Dimension	Weight
483 x 290 mm	903 g

Color	Code
Grey	K6-410
Yellow	K6-411
Green	K6-412
Blue	K6-413
Red	K6-414
Black	K6-415
Purple	K6-416
Bronze	K6-417

STANDARD

STERILE CONTAINER
SYSTEMS

1/2 Half Size

Box Types



Box (Perforated)



Box (Non Perforated)

AYGUN®
MEDICAL TECHNOLOGY IN KUL., TUR.



8 Different
Colours



Box (Non
Perforated)



Box
(Perforated)

Code	Outside Dimension	Inside Dimension	Weight
K6-605	310 x 272 x 96 mm	253 x 258 x 90 mm	1285 g
K6-606	310 x 272 x 116 mm	253 x 258 x 110 mm	1345 g
K6-607	310 x 272 x 138 mm	253 x 258 x 132 mm	1455 g
K6-608	310 x 272 x 190 mm	253 x 258 x 184 mm	1705 g
K6-609	310 x 272 x 235 mm	253 x 258 x 229 mm	1955 g

Code	Outside Dimension	Inside Dimension	Weight
K6-600	310 x 272 x 96 mm	253 x 258 x 78 mm	1400 g
K6-601	310 x 272 x 116 mm	253 x 258 x 99 mm	1460 g
K6-602	310 x 272 x 138 mm	253 x 258 x 121 mm	1570 g
K6-603	310 x 272 x 185 mm	253 x 258 x 167 mm	1820 g
K6-604	310 x 272 x 235 mm	253 x 258 x 218 mm	2070 g

Dimension	Weight
295 x 280 mm	765 g

Color	Code
Grey	K6-630
Yellow	K6-631
Green	K6-632
Blue	K6-633
Red	K6-634
Black	K6-635
Purple	K6-636
Bronze	K6-637

Dimension	Weight
295 x 280 mm	640 g

Color	Code
Grey	K6-620
Yellow	K6-621
Green	K6-622
Blue	K6-623
Red	K6-624
Black	K6-625
Purple	K6-626
Bronze	K6-627

Dimension	Weight
317 x 285 mm	620 g

Color	Code
Grey	K6-700
Yellow	K6-701
Green	K6-702
Blue	K6-703
Red	K6-704
Black	K6-705
Purple	K6-706
Bronze	K6-707

STANDARD

STERILE CONTAINER
SYSTEMS

Extra Large Size

Box Types



Box (Perforated)



Box (Non Perforated)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-402	600 x 365 x 105 mm	543 x 350 x 99 mm	2365 g
K6-403	600 x 365 x 167 mm	543 x 350 x 161 mm	2890 g



Box (Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-400	600 x 365 x 105 mm	543 x 350 x 88 mm	2620 g
K6-401	600 x 365 x 167 mm	543 x 350 x 150 mm	3145 g

AYGUN®
MEDICAL TECHNOLOGY IN KUL, TURK.



8 Different Colours

Dimension	Weight
583 x 370 mm	1675 g
Color	Code
Grey	K6-326
Yellow	K6-327
Green	K6-328
Blue	K6-329
Red	K6-330
Black	K6-331
Purple	K6-315
Bronze	K6-316

Dimension	Weight
583 x 370 mm	1405 g
Color	Code
Grey	K6-332
Yellow	K6-333
Green	K6-334
Blue	K6-335
Red	K6-336
Black	K6-337
Purple	K6-338
Bronze	K6-339

STANDARD

STERILE CONTAINER
SYSTEMS

Extra Long Size

Box Types



Box (Perforated)



Box (Non Perforated)



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-2005	725 x 275 x 127 mm	670 x 260 x 121 mm	2446 g
K6-2007	725 x 275 x 134 mm	670 x 260 x 128 mm	2503 g
K6-2006	725 x 275 x 191 mm	670 x 260 x 185 mm	2974 g



Box (Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-2000	725 x 275 x 127 mm	670 x 260 x 110 mm	2700 g
K6-2002	725 x 275 x 134 mm	670 x 260 x 117 mm	2792 g
K6-2001	725 x 275 x 191 mm	670 x 260 x 173 mm	3230 g

AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8 Different Colours



Perforated Lids	Dimension	Weight
	710 x 285 mm	1572 g
	Color	Code
	Grey	K6-2120
	Yellow	K6-2121
	Green	K6-2122
	Blue	K6-2123
	Red	K6-2124
	Black	K6-2125
	Purple	K6-2126
	Bronze	K6-2127

Removal Lids	Dimension	Weight
	710 x 285 mm	1287 g
	Color	Code
	Grey	K6-2130
	Yellow	K6-2131
	Green	K6-2132
	Blue	K6-2133
	Red	K6-2134
	Black	K6-2135
	Purple	K6-2136
	Bronze	K6-2137

A1 MODEL

STERILE CONTAINER SYSTEMS

Aygün A1 model sterilization container systems basically have similar features with standard model sterilization container systems. It has been designed by restricting some features of standard model which will not risk any of sterilization necessities. When compared to standard model sterilization container systems there is no colorful lid option in this model and coloring pars are carried out to label plates. It can be supplied with five main colors except for black. Moreover the handles of this model are not silicone coated and this model cannot be supplied with perforated boxes and more than 200 mm deep boxes. Similar to other models, Aygün A1 model sterilization container systems are manufactured as three different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts.

Box Types



Box (Non Perforated)

5

Different Colours



Standard Height Dimensions



110 mm

135 mm

150 mm

200 mm

Models



1/1 Full Size

3/4 Quarter Size

1/2 Half Size

Page 88 -89

Page 90 -91

Page 92 -93

A1 MODEL

STERILE CONTAINER
SYSTEMS

1/1 Full Size

Box Types



Box (Non Perforated)

AYGUN®
STERILE CONTAINER SYSTEMS



5 Different Colours

▼ Heights		▼		Color Coding		▼	
▼ Weight				Box (Non Perforated)			
96 mm 1925 g							
		K6-105-00E	K6-105-01E	K6-105-02E	K6-105-03E	K6-105-04E	
116 mm 2080 g							
		K6-106-00E	K6-106-01E	K6-106-02E	K6-106-03E	K6-106-04E	
138 mm 2235 g							
		K6-107-00E	K6-107-01E	K6-107-02E	K6-107-03E	K6-107-04E	
185 mm 2635 g							
		K6-108-00E	K6-108-01E	K6-108-02E	K6-108-03E	K6-108-04E	



Box (Non Perforated)



Outside Dimension	Inside Dimension
600 x 272 x 96 mm	543 x 258 x 90 mm
600 x 272 x 116 mm	543 x 258 x 110 mm
600 x 272 x 138 mm	543 x 258 x 132 mm
600 x 272 x 185 mm	543 x 258 x 184 mm

Perforated Lid



Color	Code
Grey	K6-120E
Dimension	Weight
602 x 285 mm	1355 g

A1 MODEL

STERILE CONTAINER
SYSTEMS

3/4 Quarter Size

Box Types



Box (Non Perforated)

AYGUN®
SISTEMI STERILIZZANTI DEL. 1982



5 Different
Colours



Heights Weight	Box (Non Perforated)	Color Coding
96 mm 1650 g		
116 mm 1740 g		
138 mm 1875 g		

Box (Non Perforated)

Outside Dimension

475 x 272 x 96 mm

475 x 272 x 116 mm

475 x 272 x 138 mm

Inside Dimension

422 x 258 x 90 mm

422 x 258 x 110 mm

422 x 258 x 132 mm

Perforated Lid	
	
Color	Code
 Grey	K6-340E
Dimension	Weight
477 x 285 mm	1005 g

A1 MODEL

STERILE CONTAINER
SYSTEMS

1/2 Half Size

Box Types



Box (Non Perforated)

AYGUN®
SURFIDE INTERNATIONAL S.R.L. - ITALY



5 Different Colours

▼ Heights ▼ Weight	 Box (Non Perforated)	Color Coding ▼				
96 mm 1265 g						K6-605-00E K6-605-01E K6-605-02E K6-605-03E K6-605-04E
116 mm 1325 g						K6-606-00E K6-606-01E K6-606-02E K6-606-03E K6-606-04E
138 mm 1435 g						K6-607-00E K6-607-01E K6-607-02E K6-607-03E K6-607-04E
185 mm 1685 g						K6-608-00E K6-608-01E K6-608-02E K6-608-03E K6-608-04E

 Box (Non Perforated)	
	
Outside Dimension	Inside Dimension
310 x 272 x 96 mm	253 x 258 x 90 mm
310 x 272 x 116 mm	253 x 258 x 110 mm
310 x 272 x 138 mm	253 x 258 x 132 mm
310 x 272 x 185 mm	253 x 258 x 184 mm

Perforated Lid	
	
Color	Code
Grey	K6-630E
Dimension	Weight
312 x 280 mm	750 g

WINDOW MODEL

STERILE CONTAINER SYSTEMS

Aygün window model sterilization container system is one of its patented products. What makes this model different from the others is the window on the lid which its name comes from. This window is made of high performance PPSU transparent material which is resistant against high temperature, impacts, scratches, deformation, discoloration and chemicals and it opens users a way to visually check inside of the sterilization container without opening the lid. The window model lids assures great tightness due to its special assembly method and the gasket system in it. As there is no filtering mechanism on the lid, window model sterilization container boxes strictly must be bottom perforated. Either single use paper or 2000 cycles PTFE Teflon Filters can be used in the box. In order to allow

the air flow and reach to perfect steam penetration the filtering mechanism of this model must have enough space. For that purpose, this sterilization container model is supplied with a wire base inside the container as standard. Except for this container model, all Aygün boxes and lids are compatible with each other. Aygün window model sterilization container systems are manufactured as five different length, width and height. All models and sizes have specific baskets and accessories which can be viewed in following parts. Modular auto lock mechanism (thermo lock) promising sterility assurance and indicator window providing visibility of the indicator card result by visual control without opening the lid are also available for this sterilization container model.

Box Types



Box (With Wire Base)

8

Different Colours



AYGÜN®
SURGICAL INSTRUMENTS CO., INC.



Standard Heights



111 mm

131 mm

153 mm

205 mm

260 mm

Dimensions



1/1 Full Size

3/4 Quarter Size

1/2 Half Size

Page 96 -97

Page 98 -99

Page 100 -101

WINDOW MODEL

STERILE CONTAINER
SYSTEMS

1/1 Full Size

Box Types



Box (With Wire Base)



AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8 Different
Colours



Box (With Wire Base)



Code	Outside Dimension	Inside Dimension	Weight
K6-100D	600 x 272 x 111 mm	543 x 258 x 66 mm	2935 g
K6-101D	600 x 272 x 131 mm	543 x 258 x 82 mm	3095 g
K6-102D	600 x 272 x 153 mm	543 x 258 x 104 mm	3255 g
K6-103D	600 x 272 x 197 mm	543 x 258 x 156 mm	3710 g
K6-104D	600 x 272 x 250 mm	543 x 258 x 201 mm	4090 g

Window Lids



Color	Code	Color	Code
Grey	K6-120D	Red	K6-124D
Yellow	K6-121D	Black	K6-125D
Green	K6-122D	Purple	K6-126D
Blue	K6-123D	Bronze	K6-127D
Dimension		602 x 285 mm	Weight 1305 g

WINDOW MODEL

STERILE CONTAINER
SYSTEMS

3/4 Quarter Size

Box Types



Box (With Wire Base)



AYGUN®
SURGICAL INSTRUMENTS CO., LTD.




8 Different
Colours



Box (With Wire Base)



Code	Outside Dimension	Inside Dimension	Weight
K6-300D	475 x 272 x 111 mm	422 x 258 x 66 mm	2360 g
K6-301D	475 x 272 x 131 mm	422 x 258 x 82 mm	2450 g
K6-302D	475 x 272 x 153 mm	422 x 258 x 104 mm	2585 g
K6-303D	475 x 272 x 200 mm	422 x 258 x 151 mm	3040 g



Window Lids



Color	Code	Color	Code
Grey	K6-340D	Red	K6-344D
Yellow	K6-341D	Black	K6-345D
Green	K6-342D	Purple	K6-346D
Blue	K6-343D	Bronze	K6-347D
Dimension		477 x 285 mm	Weight 1020 g

WINDOW MODEL

STERILE CONTAINER
SYSTEMS

1/2 Half Size

Box Types



Box (With Wire Base)



AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8 Different
Colours



Box (With Wire Base)



Code	Outside Dimension	Inside Dimension	Weight
K6-600D	310 x 272 x 111 mm	253 x 258 x 66 mm	1765 g
K6-601D	310 x 272 x 131 mm	253 x 258 x 82 mm	1825 g
K6-602D	310 x 272 x 153 mm	253 x 258 x 104 mm	1935 g
K6-603D	310 x 272 x 197 mm	253 x 258 x 156 mm	2185 g
K6-604D	310 x 272 x 250 mm	253 x 258 x 201 mm	2435 g

Window Lids



Color	Code	Color	Code
Grey	K6-630D	Red	K6-634D
Yellow	K6-631D	Black	K6-635D
Green	K6-632D	Purple	K6-636D
Blue	K6-633D	Bronze	K6-637D
Dimension	312 x 280 mm	Weight	736 g

PLASMA MODEL

LOW TEMPERATURE STERILE CONTAINER SYSTEMS

Aygün plasma model container systems are designed for both steam and plasma sterilization (destroying the microorganisms by free radicals). The suitable accessories like paper filter for steam or polypropylene filter for plasma must be chosen by the user according to the need. The plasma model containers are equipped with carrying handles which have 90° mobility and its ergonomic design provides easy and secure carrying facilities. The gaskets inside the lid and filter retainer ensure perfect tightness while locking mechanism of this system provides excellent grip with its flexible structure.

Aygün plasma model sterilization container systems are manufactured with different length, width and height and can be supplied with perforated bottom and lids. All models and sizes have specific baskets and accessories which can be viewed in following parts.

Box Types



Box (Perforated)



Standard Heights & Dimensions



110 mm

135 mm

150 mm

200 mm



1/1 Full Size

3/4 Quarter Size

1/2 Half Size

Page 104 - 105

Special Models



ENDO MODEL

MINI MODEL

DENTAL MODEL

1/2 DENTAL MODEL

Page 108 - 109

Page 106 - 107

PLASMA MODEL

LOW TEMPERATURE
STERILE CONTAINER SYSTEMS

1/1 Full Size 3/4 Quarter Size 1/2 Half Size

Box Types




Box (Perforated)

1/1 FULL SIZE



Code	Outside Dimension	Inside Dimension	Weight
K6-100Z	600 x 272 x 96 mm	543 x 258 x 90 mm	2200 g
K6-101Z	600 x 272 x 116 mm	543 x 258 x 99 mm	2360 g
K6-102Z	600 x 272 x 138 mm	543 x 258 x 121 mm	2520 g

Perforated Lid



Color	Code
Grey	K6-120Z
Dimension	Weight
585 x 285 mm	1370 g

3/4 QUARTER



Code	Outside Dimension	Inside Dimension	Weight
K6-300Z	475 x 272 x 96 mm	422 x 258 x 78 mm	1795 g
K6-301Z	475 x 272 x 116 mm	422 x 258 x 99 mm	1885 g
K6-302Z	475 x 272 x 138 mm	422 x 258 x 121 mm	2020 g
K6-303Z	475 x 272 x 185 mm	422 x 258 x 168 mm	2475 g



Color	Code
Grey	K6-340Z
Dimension	Weight
460 x 285 mm	1020 g

1/2 HALF SIZE



Code	Outside Dimension	Inside Dimension	Weight
K6-600Z	310 x 272 x 96 mm	253 x 258 x 78 mm	1400 g
K6-601Z	310 x 272 x 116 mm	253 x 258 x 99 mm	1460 g
K6-602Z	310 x 272 x 138 mm	253 x 258 x 121 mm	1570 g



Color	Code
Grey	K6-630Z
Dimension	Weight
295 x 280 mm	765 g

PLASMA MODEL


LOW TEMPERATURE
STERILE CONTAINER SYSTEMS

Mini Model Dental Model 1/2 Dental Model

Box Types




Box (Perforated)



Box (Perforated)

Perforated Lid

DENTAL MODEL



Code	Outside Dimension	Weight
K6-1860Z	323 x 186 x 43 mm	493 g
K6-1861Z	323 x 186 x 58 mm	535 g
K6-1862Z	323 x 186 x 122 mm	745 g

Color	Code
Grey	K6-1880Z
Dimension	Weight
325 x 192 mm	638 g

1/2 DENTAL MODEL



Code	Outside Dimension	Weight
K6-1560Z	227 x 162 x 57 mm	386 g
K6-1561Z	227 x 162 x 88 mm	463 g
K6-1562Z	227 x 162 x 122 mm	525 g

Color	Code
Grey	K6-1570Z
Dimension	Weight
220 x 170 mm	488 g

MINI MODEL



Code	Outside Dimension	Weight
K6-1960Z	315 x 132 x 32 mm	338 g
K6-1961Z	315 x 132 x 63 mm	432 g
K6-1962Z	315 x 132 x 92 mm	523 g

Color	Code
Grey	K6-1970Z
Dimension	Weight
320 x 142 mm	513 g

PLASMA MODEL

LOW TEMPERATURE
STERILE CONTAINER SYSTEMS

Endo Model


Box Types



Box (Perforated)



AYGUN®
SURGICAL INSTRUMENTS CO., INC.



AYGUN®
SURGICAL INSTRUMENTS CO., INC.



Box (Perforated)

Perforated Lid



Code	Outside Dimension	Weight
K6-1100Z	528 x 145 x 66 mm	676 g
K6-1101Z	528 x 145 x 88 mm	786 g

Color	Code
Grey	K6-1000Z
Dimension	Weight
532 x 160 mm	795 g

DENTAL, MINI & SPECIAL MODELS

STERILE CONTAINER SYSTEMS

As an addition to all standard sizes, Aygün also provides smaller containers like Mini, Large Dental, Dental, ½ Dental, Flat, Endo, Implant, Scopy and Mini Implant Model for preparation of many surgeries like dental or micro surgeries.

Box Types



Box (Perforated)



Box (Non Perforated)



Models



LARGE DENTAL MODEL ▶ Page 112 -113



DENTAL MODEL ▶ Page 114 -115



1/2 DENTAL MODEL ▶ Page 116 -117



ENDO MODEL ▶ Page 118 -119



MINI MODEL ▶ Page 120 -121



FLAT MODEL ▶ Page 122 -123



IMPLANT MODEL ▶ Page 124



MINI IMPLANT MODEL ▶ Page 125



SCOPY MODEL ▶ Page 126 -127

LARGE DENTAL

STERILE CONTAINER
SYSTEMS

Box Types



Box (Non Perforated)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours

Standard Heights



115 mm



130 mm



150 mm



Box (Non Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1665	380 x 244 x 100 mm	330 x 234 x 94 mm	1350 g
K6-1666	380 x 244 x 116 mm	330 x 234 x 112 mm	1465 g
K6-1667	380 x 244 x 138 mm	330 x 234 x 130 mm	1600 g

Dimension Weight
365 x 255 mm 835 g



Color	Code
Grey	K6-1680
Yellow	K6-1681
Green	K6-1682
Blue	K6-1683
Red	K6-1684
Black	K6-1685
Purple	K6-1686
Bronze	K6-1687

Dimension Weight
365 x 255 mm 1020 g



Color	Code
Grey	K7-1680
Yellow	K7-1681
Green	K7-1682
Blue	K7-1683
Red	K7-1684
Black	K7-1685
Purple	K7-1686
Bronze	K7-1687

DENTAL MODEL

STERILE CONTAINER SYSTEMS

Box Types



Box (With Barrier)



Box (Perforated)



Box (Non Perforated)

Standard Heights



55 mm



70 mm



100 mm



135 mm

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8

Different
Colours



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1865	320 x 186 x 43 mm	281 x 184 x 38 mm	360 g
K6-1866	320 x 186 x 59 mm	281 x 184 x 54 mm	425 g
K6-1868	320 x 186 x 102 mm	281 x 184 x 98 mm	560 g
K6-1867	320 x 186 x 122 mm	281 x 184 x 118 mm	634 g



Box
(Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1860	320 x 186 x 43 mm	281 x 184 x 28 mm	500 g
K6-1861	320 x 186 x 58 mm	281 x 184 x 46 mm	550 g
K6-1863	320 x 186 x 102 mm	281 x 184 x 93 mm	695 g
K6-1862	320 x 186 x 122 mm	281 x 184 x 110 mm	755 g



Bpx
(With Barrier)



Code	Outside Dimension	Inside Dimension	Weight
K7-1861	320 x 186 x 69 mm	281 x 184 x 35 mm	765 g
K7-1863	320 x 186 x 112 mm	281 x 184 x 79 mm	910 g
K7-1862	320 x 186 x 132 mm	281 x 184 x 99 mm	984 g

Perforated Lids



Color	Code
Grey	K6-1880
Yellow	K6-1881
Green	K6-1882
Blue	K6-1883
Red	K6-1884
Black	K6-1885
Purple	K6-1886
Bronze	K6-1887

Removal Lids



Color	Code
Grey	K6-1870
Yellow	K6-1871
Green	K6-1872
Blue	K6-1873
Red	K6-1874
Black	K6-1875
Purple	K6-1876
Bronze	K6-1877

Barrier Lids



Color	Code
Grey	K7-1880
Yellow	K7-1881
Green	K7-1882
Blue	K7-1883
Red	K7-1884
Black	K7-1885
Purple	K7-1886
Bronze	K7-1887

1/2 DENTAL MODEL

STERILE CONTAINER
SYSTEMS

Box Types



Box (Perforated)



Box (Non Perforated)

Standard Height Dimensions



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1565	227 x 162 x 57 mm	190 x 158 x 48 mm	245 g
K6-1566	227 x 162 x 88 mm	190 x 158 x 88 mm	335 g
K6-1567	227 x 162 x 122 mm	190 x 158 x 118 mm	410 g



Box
(Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1560	227 x 162 x 57 mm	190 x 158 x 40 mm	385 g
K6-1561	227 x 162 x 88 mm	190 x 158 x 80 mm	440 g
K6-1562	227 x 162 x 122 mm	190 x 158 x 110 mm	545 g

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different
Colours

Dimension	Weight
232 x 174 mm	495 g

Color	Code
Grey	K6-1570
Yellow	K6-1571
Green	K6-1572
Blue	K6-1573
Red	K6-1574
Black	K6-1575
Purple	K6-1576
Bronze	K6-1577

Dimension	Weight
232 x 174 mm	360 g

Color	Code
Grey	K6-1580
Yellow	K6-1581
Green	K6-1582
Blue	K6-1583
Red	K6-1584
Black	K6-1585
Purple	K6-1586
Bronze	K6-1587

ENDO MODEL

STERILE CONTAINER
SYSTEMS

Box Types



Box (Perforated)



Box (Non Perforated)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different
Colours



Box (Non Perforated)



Code	Outside Dimension	Weight
K6-1105	528 x 145 x 66 mm	675 g
K6-1106	528 x 145 x 88 mm	805 g



Box (Perforated)



Code	Outside Dimension	Weight
K6-1100	528 x 145 x 66 mm	690 g
K6-1101	528 x 145 x 88 mm	885 g



Perforated Lids

Dimension
532 x 160 mm

Weight
775 g



Color	Code
Grey	K6-1000
Yellow	K6-1001
Green	K6-1002
Blue	K6-1003
Red	K6-1004
Black	K6-1005
Purple	K6-1006
Bronze	K6-1007

MINI MODEL

STERILE CONTAINER
SYSTEMS

Box Types

Box (With Barrier)

Box (Perforated)

Box (Non Perforated)

Standard Heights

45 mm

70 mm

100 mm

2 dimension Bio Barrier Options

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



8 Different Colours





Box (Non Perforated)





Box (Perforated)





Box (With Barrier)



Code	Outside Dimension	Inside Dimension	Weight
K6-1965	315 x 132 x 32 mm	273 x 128 x 30 mm	232 g
K6-1966	315 x 132 x 63 mm	273 x 128 x 58 mm	315 g
K6-1967	315 x 132 x 92 mm	273 x 128 x 90 mm	419 g

Code	Outside Dimension	Inside Dimension	Weight
K6-1960	315 x 132 x 32 mm	273 x 128 x 18 mm	350 g
K6-1961	315 x 132 x 63 mm	273 x 128 x 48 mm	440 g
K6-1962	315 x 132 x 92 mm	273 x 128 x 78 mm	523 g

Code	Outside Dimension	Inside Dimension	Weight
K7-1961	315 x 132 x 73 mm	273 x 128 x 39 mm	665 g
K7-1962	315 x 132 x 102 mm	273 x 128 x 71 mm	769 g

Perforated Lids

Dimension	Weight
315 x 140 mm	510 g



Color	Code
Grey	K6-1970
Yellow	K6-1971
Green	K6-1972
Blue	K6-1973
Red	K6-1974
Black	K6-1975
Purple	K6-1976
Bronze	K6-1977

Removal Lids

Dimension	Weight
315 x 140 mm	380 g



Color	Code
Grey	K6-1980
Yellow	K6-1981
Green	K6-1982
Blue	K6-1983
Red	K6-1984
Black	K6-1985
Purple	K6-1986
Bronze	K6-1987

Barrier Lids

Dimension	Weight
315 x 142 mm	680 g



Color	Code
Grey	K7-1970
Yellow	K7-1971
Green	K7-1972
Blue	K7-1973
Red	K7-1974
Black	K7-1975
Purple	K7-1976
Bronze	K7-1977

FLAT MODEL

STERILE CONTAINER
SYSTEMS

Box Types



Box (With Barrier)



Box (Perforated)



Box (Non Perforated)

Standard Heights



75 mm



90 mm

2 dimension Bio Barrier Options

AYGUN®
SURGICAL INSTRUMENTS CO., LTD.



8 Different
Colours



Box (Non
Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1775	295 x 270 x 60 mm	258 x 260 x 56 mm	650 g
K6-1776	295 x 270 x 72 mm	258 x 260 x 66 mm	720 g



Box
(Perforated)



Code	Outside Dimension	Inside Dimension	Weight
K6-1770	295 x 270 x 60 mm	258 x 260 x 40 mm	740 g
K6-1771	295 x 270 x 72 mm	258 x 260 x 52 mm	825 g



Box
(With Barrier)



Code	Outside Dimension	Inside Dimension	Weight
K7-1770	295 x 270 x 72 mm	258 x 260 x 37 mm	964 g
K7-1771	295 x 270 x 84 mm	258 x 260 x 47 mm	987 g

Perforated Lids		Removal Lids		Bio Barrier Lids		Safety Lids		For Bio Barrier Safety Lids	
Dimension	Weight	Dimension	Weight	Dimension	Weight	Dimension	Weight	Dimension	Weight
295 x 280 mm	730 g	295 x 280 mm	610 g	295 x 280 mm	955 g	317 x 285 mm	610 g	317 x 285 mm	700 g
Color	Code	Color	Code	Color	Code	Color	Code	Color	Code
Grey	K6-1780	Grey	K6-1790	Grey	K7-1780	Grey	K6-1418	Grey	K7-1418
Yellow	K6-1781	Yellow	K6-1791	Yellow	K7-1781	Yellow	K6-1419	Yellow	K7-1419
Green	K6-1782	Green	K6-1792	Green	K7-1782	Green	K6-1420	Green	K7-1420
Blue	K6-1783	Blue	K6-1793	Blue	K7-1783	Blue	K6-1421	Blue	K7-1421
Red	K6-1784	Red	K6-1794	Red	K7-1784	Red	K6-1422	Red	K7-1422
Black	K6-1785	Black	K6-1795	Black	K7-1785	Black	K6-1423	Black	K7-1423
Purple	K6-1786	Purple	K6-1796	Purple	K7-1786	Purple	K6-1424	Purple	K7-1424
Bronze	K6-1787	Bronze	K6-1797	Bronze	K7-1787	Bronze	K6-1425	Bronze	K7-1425

IMPLANT MODEL


STERILE CONTAINER
SYSTEMS

Box & Lids Types

-  Lid Perforated
Box Non Perforated
-  Lid Perforated
Box Perforated
-  Lid Non Perforated
Box Non Perforated

All container measurements cover the outer size of the lids.

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



Dimension	Implant Models	Lid Perforated Box Non Perforated		Lid Perforated Box Perforated		Lid Non Perforated Box Non Perforated	
							
300 x 150 x 75 mm		Color	Code	Code	Code	Code	Code
		Black	K5-010	K5-022	K5-034		
		Red	K5-011	K5-023	K5-035		
		Blue	K5-012	K5-024	K5-036		
		Green	K5-013	K5-025	K5-037		
		Yellow	K5-014	K5-026	K5-038		
		Grey	K5-015	K5-027	K5-039		
		Purple	K5-048	K5-052	K5-056		
500 x 170 x 75 mm		Bronze	K5-049	K5-053	K5-057		
		Color	Code	Code	Code	Code	Code
		Black	K5-016	K5-028	K5-040		
		Red	K5-017	K5-029	K5-041		
		Blue	K5-018	K5-030	K5-042		
		Green	K5-019	K5-031	K5-043		
		Yellow	K5-020	K5-032	K5-044		
		Grey	K5-021	K5-033	K5-045		
		Purple	K5-050	K5-054	K5-058		
		Bronze	K5-051	K5-055	K5-059		

Dimension	Mini Implant Models	Lid Perforated Box Non Perforated		Lid Perforated Box Perforated		Lid Non Perforated Box Non Perforated	
							
160 x 72 x 57 mm		Color	Code	Code	Code	Code	Code
		Black	K5-200	K5-212	K5-224		
		Red	K5-201	K5-213	K5-225		
		Blue	K5-202	K5-214	K5-226		
		Green	K5-203	K5-215	K5-227		
		Yellow	K5-204	K5-216	K5-228		
		Grey	K5-205	K5-217	K5-229		
		Purple	K5-236	K5-240	K5-244		
200 x 147 x 57 mm		Bronze	K5-237	K5-241	K5-245		
		Color	Code	Code	Code	Code	Code
		Black	K5-206	K5-218	K5-230		
		Red	K5-207	K5-219	K5-231		
		Blue	K5-208	K5-220	K5-232		
		Green	K5-209	K5-221	K5-233		
		Yellow	K5-210	K5-222	K5-234		
		Grey	K5-211	K5-223	K5-235		
		Purple	K5-238	K5-242	K5-246		
		Bronze	K5-239	K5-243	K5-247		

SCOPY MODEL

STERILE CONTAINER
SYSTEMS

Box & Lids Types



All container measurements cover the outer size of the lids.

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

8 Different
Colours



Dimension

Scopy Models

Lid Perforated
Box Non Perforated



Lid Perforated
Box Perforated



260 x 70 x 60 mm



Color	Code	Code
Black	K5-060	K5-072
Red	K5-061	K5-073
Blue	K5-062	K5-074
Green	K5-063	K5-075
Yellow	K5-064	K5-076
Grey	K5-065	K5-077
Purple	K5-084	K5-088
Bronze	K5-085	K5-089

455 x 80 x 70 mm



Color	Code	Code
Black	K5-066	K5-078
Red	K5-067	K5-079
Blue	K5-068	K5-080
Green	K5-069	K5-081
Yellow	K5-070	K5-082
Grey	K5-071	K5-083
Purple	K5-086	K5-090
Bronze	K5-087	K5-091



Dimension

Scopy Models

with silicone holders

Lid Perforated
Box Non Perforated



Lid Perforated
Box Perforated



275 x 70 x 65 mm



Color	Code	Code
Black	K5-100	K5-115
Red	K5-101	K5-116
Blue	K5-102	K5-117
Green	K5-103	K5-118
Yellow	K5-104	K5-119
Grey	K5-105	K5-120
Purple	K5-127	K5-131
Bronze	K5-128	K5-132

470 x 82 x 74 mm



Color	Code	Code
Black	K5-106	K5-121
Red	K5-107	K5-122
Blue	K5-108	K5-123
Green	K5-109	K5-124
Yellow	K5-110	K5-125
Grey	K5-111	K5-126
Purple	K5-129	K5-133
Bronze	K5-130	K5-134



BASKETS

The baskets are the main supplementary components of container systems and they are necessary for a full set container. AYGÜN has focused on 3 main model in basket production. Two of these models are wire basket and perforated sheet basket. The third model is a combination of these two models with perforated metal plates on sides and with wire mesh on bottom. AYGÜN has the model and sizes of baskets in its standard production appealing to all container model and sizes. Also, it ensures basket production in demanded sizes besides standard production.

The standard diameter of the wire used in basket production is 1 mm and mesh distance is 4 mm. But this distance can also be arranged according to the special demands. Besides, AYGÜN manufactures fine mesh baskets for small instruments, laundry baskets and endoscopic baskets. These baskets can also be produced in demanded sizes and mesh distances.

Please contact our company for any special production basket.



For 1/1 Models



Box
Stand Height: 10 mm



Code	Outside Dimension
K3-740	540 x 253 x 40 mm
K3-741	540 x 253 x 60 mm
K3-742	540 x 253 x 80 mm
K3-743	540 x 253 x 110 mm

Code	Outside Dimension
K3-744	485 x 253 x 40 mm
K3-745	485 x 253 x 60 mm
K3-746	485 x 253 x 80 mm
K3-747	485 x 253 x 110 mm

For 1/1 Models




Lid



Code	Dimension
K3-760	542 x 256 x 4 mm

Code	Dimension
K3-761	487 x 256 x 4 mm



For 3/4 Models



Box
Stand Height: 10 mm

For 1/2 Models



Box
Stand Height: 10 mm



Code	Outside Dimension
K3-748	405 x 253 x 40 mm
K3-749	405 x 253 x 60 mm
K3-750	405 x 253 x 80 mm
K3-751	405 x 253 x 110 mm



Code	Outside Dimension
K3-752	244 x 253 x 40 mm
K3-753	244 x 253 x 60 mm
K3-754	244 x 253 x 80 mm
K3-755	244 x 253 x 110 mm

For 3/4 Models

Lid

For 1/2 Models

Lid



Code	Outside Dimension
K3-762	407 x 256 x 4 mm

Code	Outside Dimension
K3-763	247 x 256 x 4 mm

For Extra Long Models

Box
Stand Height: 10 mm

Code	Outside Dimension
K3-711	665 x 253 x 40 mm
K3-712	665 x 253 x 60 mm
K3-713	665 x 253 x 80 mm
K3-714	665 x 253 x 110 mm

For Extra Long Models

Lid

Code	Outside Dimension
K3-710	667 x 256 x 4 mm

For Extra Large Models


Box
Stand Height: 10 mm

Code	Outside Dimension
K3-705	533 x 340 x 40 mm
K3-706	533 x 340 x 60 mm
K3-707	533 x 340 x 80 mm
K3-708	533 x 340 x 110 mm


For Extra Large Models

Lid


Code	Outside Dimension
K3-709	539 x 346 x 4 mm




▼ For Large Dental Models



Code	Outside Dimension
K3-771	320 x 220 x 60 mm
K3-772	320 x 220 x 80 mm
K3-773	320 x 220 x 110 mm




Code	Outside Dimension
K3-774	322 x 223 x 63 mm
K3-775	322 x 223 x 83 mm
K3-776	322 x 223 x 113 mm




Code	Outside Dimension
K3-770	322 x 223 x 4 mm


▼ For Dental Models



Code	Outside Dimension
K3-756	275 x 175 x 45 mm
K3-757	275 x 175 x 105 mm




Code	Outside Dimension
K3-736	277 x 178 x 50 mm
K3-737	277 x 178 x 110 mm




Code	Outside Dimension
K3-764	277 x 178 mm


▼ For Mini Models



Code	Outside Dimension
K3-758	265 x 125 x 55 mm



Code	Outside Dimension
K3-738	267 x 127 x 60 mm



Code	Outside Dimension
K3-765	267 x 127 mm

Stand




Code	K3-767	Height	20 mm
------	--------	--------	-------




Code	K3-768	Height	10 mm
------	--------	--------	-------



Code	K3-766	Height	5 mm
------	--------	--------	------



Our wire mesh and perforated sheet baskets can be manufactured in any size.



Please contact for detailed information.



Code	Outside Dimension
K3-787	138 x 124 x 48 mm

Without silicone fixation systems



Code	Outside Dimension
K3-788	146 x 46 x 28 mm

Without silicone fixation systems



Code	Outside Dimension
K3-789	86 x 46 x 28 mm

Without silicone fixation systems
Bottom 2 mm, lid 4 mm perforation



Code	Outside Dimension
K3-780K	274 x 180 x 34 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



Code	Outside Dimension
K3-780	274 x 180 x 32 mm

Without silicone fixation systems



Code	Outside Dimension
K3-786K	191 x 130 x 36 mm

Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm



Code	Outside Dimension
K3-786	191 x 130 x 34 mm

Without silicone fixation systems



Code	Outside Dimension
K3-781K	274 x 180 x 44 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



Code	Outside Dimension
K3-781	274 x 180 x 42 mm
K3-782	274 x 180 x 62 mm

Without silicone fixation systems



Code	Outside Dimension
K3-790K	186 x 72 x 24 mm

Tray with silicone fixation system.
Holds 5 instruments.



Code	Outside Dimension
K3-791K	186 x 99 x 24 mm

Tray with silicone fixation system.
Holds 7 instruments.



Code	Outside Dimension
K3-783K	274 x 88 x 46 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



Code	Outside Dimension
K3-784K	240 x 76 x 30 mm

Basket with blue silicone mat



Code	Outside Dimension
K3-792K	186 x 137 x 24 mm

Tray with silicone fixation system.
Holds 10 instruments.



Code	Outside Dimension
K3-793K	286 x 192 x 34 mm

Tray with silicone fixation system.
Holds 20 instruments.



Code	Outside Dimension
K3-785K	188 x 86 x 36 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



Code	Outside Dimension
K3-785	188 x 86 x 32 mm



Basket with blue silicone mat

▽ BASKET MADE FROM
STAINLESS STEEL WIRE MESH

BASKETS
STERILE CONTAINER SYSTEMS

Mesh grid

Actual Size




Code	Outside Dimension
K2-490	246 x 246 x 30 mm
K2-491	246 x 246 x 50 mm
K2-492	246 x 246 x 70 mm
K2-493	246 x 246 x 100 mm

Code	Outside Dimension
K3-1045	246 x 246 mm




Code	Outside Dimension
K2-1500	405 x 245 x 30 mm
K2-1501	405 x 245 x 50 mm
K2-1502	405 x 245 x 70 mm
K2-1503	405 x 245 x 100 mm

Code	Outside Dimension
K3-1034	405 x 245 mm



Code	Outside Dimension
K2-450	480 x 245 x 30 mm
K2-451	480 x 245 x 50 mm
K2-452	480 x 245 x 70 mm
K2-453	480 x 245 x 100 mm

Code	Outside Dimension
K3-1024	485 x 245 x 5 mm



Code	Outside Dimension
K2-460	540 x 245 x 30 mm
K2-461	540 x 245 x 50 mm
K2-462	540 x 245 x 70 mm
K2-463	540 x 245 x 100 mm

Code	Outside Dimension
K3-1014	540 x 245 x 5 mm

Code	Outside Dimension
K3-2000	323 x 222 x 50 mm
K3-2001	323 x 222 x 70 mm
K3-2002	323 x 222 x 100 mm



Code	Outside Dimension
K3-2013	323 x 222 x 5 mm

Code	Outside Dimension
K2-1701	533 x 337 x 50 mm
K2-1702	533 x 337 x 70 mm
K2-1703	533 x 337 x 100 mm




Code	Outside Dimension
K3-1707	533 x 337 x 5 mm

Code	Outside Dimension
K2-1801	665 x 250 x 50 mm
K2-1802	665 x 250 x 70 mm
K2-1803	665 x 250 x 100 mm



Code	Outside Dimension
K3-1807	665 x 250 x 5 mm

Mesh Grid



Box With Lid




Code	Outside Dimension
K2-993	268 x 127 x 47 mm


Box




Code	Outside Dimension
K3-1073	268 x 117 x 43 mm



Mesh Grid



Box With Lid




Code	Outside Dimension
K3-611	270 x 175 x 45 mm

Box



Code	Outside Dimension
K3-1070	270 x 170 x 38 mm

Mesh Grid




Box With Lid


Code	Outside Dimension
K3-1100	30 x 30 x 30 mm
K3-1101	40 x 40 x 20 mm
K3-1102	40 x 40 x 40 mm
K3-1103	60 x 60 x 20 mm
K3-1104	60 x 60 x 40 mm
K3-1105	60 x 60 x 60 mm
K3-1106	80 x 80 x 20 mm
K3-1107	80 x 40 x 40 mm
K3-1108	80 x 80 x 40 mm

Box With Lid

Code	Outside Dimension
K3-1109	80 x 80 x 60 mm
K3-1110	80 x 80 x 80 mm
K3-1111	100 x 100 x 10 mm
K3-1112	120 x 120 x 30 mm
K3-1113	120 x 120 x 60 mm
K3-1114	120 x 120 x 80 mm
K3-1115	240 x 240 x 30 mm
K3-1116	240 x 240 x 60 mm
K3-1117	240 x 240 x 80 mm
K3-1118	240 x 240 x 100 mm



Box With Lid



Code	Outside Dimension
K2-995	175 x 153 x 35 mm

Box



Code	Outside Dimension
K3-1079	175 x 144 x 30 mm

WIRE BASE



Code	Outside Dimension
K2-440	545 x 255 x 30 mm



Code	Outside Dimension
K2-1522	405 x 255 x 30 mm



Code	Outside Dimension
K2-482	255 x 255 x 30 mm

LAUNDRY BASKETS




Code	Outside Dimension
K3-1080	600 x 400 x 150 mm
K3-1081	600 x 400 x 300 mm

Code	Outside Dimension
K3-1085	600 x 400 x 150 mm
K3-1086	600 x 400 x 300 mm

STE BASKETS



Standard



Front access

Code	Outside Dimension
K3-1206	575 x 280 x 135 mm
K3-1207	575 x 280 x 265 mm

Code	Outside Dimension
K3-1208	575 x 280 x 265 mm

WIRE NET BASKETS



Code	Outside Dimension
K3-1200	250 x 170 x 70 mm
K3-1201	340 x 250 x 70 mm
K3-1202	450 x 340 x 70 mm

LID FOR WIRE NET BASKETS



Code	Outside Dimension
K3-1203	250 x 170 mm
K3-1204	340 x 250 mm
K3-1205	450 x 340 mm

SPRI BASKETS





Double Frame with Folding Handle

Code	Outside Dimension
K3-1210	585 x 395 x 100 mm
K3-1211	585 x 395 x 195 mm


With Single Frame




Code	Outside Dimension
K3-1230	600 x 300 x 40 mm
K3-1231	600 x 300 x 50 mm
K3-1232	600 x 300 x 100 mm
K3-1233	600 x 300 x 130 mm
K3-1234	600 x 300 x 150 mm
K3-1235	600 x 300 x 180 mm
K3-1236	600 x 300 x 200 mm
K3-1237	600 x 400 x 100 mm
K3-1238	600 x 400 x 130 mm
K3-1239	600 x 400 x 150 mm
K3-1240	600 x 400 x 180 mm
K3-1241	600 x 400 x 200 mm



Code	Outside Dimension
K3-1050	670 x 80 x 52 mm
K3-1051	460 x 80 x 52 mm
K3-1052	290 x 80 x 52 mm



Code	Outside Dimension
K3-1062	640 x 150 x 77 mm



Code	Outside Dimension
K3-1054	492 x 134 x 55 mm
K3-1055	492 x 134 x 65 mm



Code	Outside Dimension
K3-1119	245 x 130 x 55 mm



Code	Outside Dimension
K3-1120	245 x 130 x 70 mm



Code	Outside Dimension
K3-1121	245 x 130 x 105 mm



WASHER TUBE FOR K-WIRES

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.



Code	Outside Dimension
K4-1051	460 x 100 x 64 mm

K-Wires stainless steel basket with lid.



Code	Outside Dimension
K4-1052	265 x 72 x 64 mm


K-Wires stainless steel basket with lid.

WASHER TUBE FOR K-WIRES

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery. The Aygün washer tubes systems have a special design for getting maximum efficiency. The dividing part inside the tube provides protection of 4 different diameter wires without intermixing. With the help of inner tube placed in the middle of the divider, the high pressure water coming of the washer machine flows from inside to outside. By this way, the wires inside the tube are washed by inside-out and outside-in flow and the disinfection process is completed efficiently.



- The system has 2 different lengths as option.
- Every tube has 4 different tanks for 4 different diameter wires.
- The system has been designed suitable for 12 different diameter from 0,6 mm to 3 mm.



Code	Lenght	Suitable Wire Diameters
KA-100	150 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KB-100	150 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KC-100	150 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm
KLA-100	300 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KLB-100	300 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KLC-100	300 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm



ACCESSORIES

MODULAR
AUTO LOCK MECHANISM

What Is Auto Lock Mechanism

Auto lock mechanism is a heat-sensitive automatic locking system developed in order to ease sterilization control by R&D department. Modular auto lock system designed to be usable with different container systems.

This system has been developed in accordance with the requirements of sterilization to be used in a steam autoclave for our container systems. Auto lock is a system designed in reusable property instead of disposable plastic products that are used as security locks in containers. The system has been tested in our own facilities 5000 cycles and has successfully passed all tests. Minimum expected life of the system is 5000 sterilizations. During this time system is usable without the need for any maintenance or service.



Code

K1-900 (2 pcs)

AYGUN®
Sustainable Technology

How does Auto Lock Mechanism Work?

The average temperature in the autoclave during sterilization is at the level of 135 ° C degrees.

As the temperature in the autoclave begins to rise above 100 degrees, automatic locking mechanism located on the box is activated. When the mechanism is activated, the red movable locking shaft in it is going forward (Picture 1). When the movable locking shaft is going forward, it blocks the locking mechanism in lid and so it prevents uncontrolled opening of the lid.

The process of the system becoming inactive is as following: After sterilization process has been completed and container has been removed from the autoclave, the container and Auto Lock system are allowed to cool between 5 and 10 minutes. Then the red movable locking shaft is pushed back with the help of fingers (Picture 3). Thus, lid closure of the container ceases to be blocked and comes to opened position.

When the container enters into each sterilization, these processes are repeated in the same manner.

When the user sees that Auto Lock mechanism is activated (Picture 1), he/she can understand that the container has entered to the sterilization process. If Auto lock mechanism is inactive (Picture 2), it means that this container has been previously opened.

What Are The Advantages Of
Modular Auto Mechanism?

Because of system being reusable, it is more economical when you compare with plastic security seal usage.

System is modular, so it can be usable with different brand products. In this reason, so many users can make use of system advantages.


After the usage of disposable products, plastic material harms the nature. Because of reusable property of auto lock mechanism and because of recycling raw material inside, system does not harm the nature.

Disposable products have many disadvantages such as purchasing, storage and inventory tracking. Auto Lock mechanism saves the user from this workload and cost.

Disposable products must be attached to the (2) container(s) prior to each sterilization and this leads to loss of time for the employees.

Auto Lock Mechanism removes the difficulties faced during the use of security seals. In breakdown condition, because of product is not fixed on the container, system can be easily serviceable or changeable so container does not needs replacing.


Picture 1 (Closed Position)



Picture 3



Picture 2



Picture 4




WARNING: It's possible to move the movable shaft with only the effect of temperature. It's not possible under normal conditions to activate (to be brought into locked position) lock mechanism.

All our container systems with Auto Lock mechanism are designed to be used also with plastic security seal when necessary (Picture 4).

MODULAR AUTO LOCK MECHANISM

TÜRK PATENT ENSTİTÜSÜ
No: a2012 00715

DEUTSCHES PATENT
Nr. 20 2013 100 251.8



Assembly And Disassembly Of Modular Auto Lock Mechanism

Picture 1



Locking clamp should be removed from the groove before assembly.

Picture 2



Then it should be placed to the container label part as shown picture.

Picture 3



When you sure that product is snug, locking clamp should be placed through the arrow direction.

Picture 4



Please be sure that locking stamp is forwarded to the end of the clamp groove and it is locked.



Lock mechanism should be in open position for the disassembly process (Picture 2).

It is not possible to make disassembly on closed position (Picture 1).

When you sure that lock mechanism is on open position, locking clamp can be removable by pulling backward through the reverse direction of the locking direction.

WINDOW FOR EMULATING INDICATOR

We continue to produce solution for the sterilization management requirements with our 25 years of experience in medical industry. For this purpose, we have developed emulating indicator window for the sterile container systems.

Aim Of The Window For Emulating Indicator

Emulating indicators are used for the load sterilization monitorization while surgical instruments are loaded to containers in central sterilization services department (CSSD).

During standard container usage it is not possible to see indicator results without opening the lid. When set is decided to use in surgery if result is negative and also if there is no alternative set, surgery is delaying and problems occurs in implementations.

Result of the emulating indicator can observed after cycle easily from the window on the container case. In negative conditions, sterilization processes are repeated before send set to usage. By this way waste of time prohibited and it can help to avoid troubles before start.



NO RISK...

Window For Emulating Indicator

- ▶ Transparent PPSU polymer material is used on window part of the system which is suitable to autoclave. PPSU polymer material has resistance to scoring and impact also it is a special material which has heat resistance up to 330°
- ▶ Silicon joint is used between window and box to avoid sterilization risk inside the container and security is provided %100 by 4 pieces rivet connection.
- ▶ All other parts used in the system is manufactured from anodized aluminum and stainless steel.
- ▶ Indicator is designed to place the box from two directions. Also there is a spring mechanism to immobilize indicator because of the pressure inside the indicator placed sections. This spring mechanism and the immobilization property from the two side of indicator are provided to use different branded indicators to use in this system together.



TÜRK PATENT ENSTİTÜSÜ
No: 2014-GE-49085

Usage Of Window For Emulating Indicator

Emulating indicator before placing materials to sterilize inside the box for the sterilization purpose is placed inside the box as below.

When you placed indicator band inside the box, you should be sure that placed references and indicator should appears. You should specify the suitable position by reciprocating motions or rotating reverse the indicator band.

After you placed indicator band fairly, you can start sterilization process by placing materials to sterilize after closing the lid.



ACCESSORIES

STERILE CONTAINER SYSTEMS




Label (Papers)



Code K2-673

100 pcs. With indicator.

For small size and special containers



Code K2-672

100 pcs. With indicator.

For full and Half size containers



Identification Labels (Aluminium)

Thoracotomy	Basic Set
Basic Set	Thoracotomy
Thoracotomy	Basic Set
Basic Set	Thoracotomy

Color	Code
Red	K2-700
Blue	K2-701
Green	K2-702
Yellow	K2-703
Grey	K2-704
Black	K2-705
Purple	K2-706
Bronze	K2-707

Coloured identification labels
Engraved to your specifications
Maximum 16 letters



Identification (Aluminium)




Label Holder

Color	Code
Red	K2-560
Blue	K2-561
Green	K2-562
Yellow	K2-563
Grey	K2-564
Black	K2-565
Purple	K2-566
Bronze	K2-567

Labels

Color	Code
Red	K2-570
Blue	K2-571
Green	K2-572
Yellow	K2-573
Grey	K2-574
Black	K2-575
Purple	K2-576
Bronze	K2-577

Coloured identification labels Engraved to your specification





Code K2-663 Blue

100 pcs. with indicator.
made of plastic



Code K2-664 Blue

100 pcs. made of plastic



Code K2-661 Blue

100 pcs. with number.
made of plastic



Code K2-662 Red

100 pcs. with indicator.
made of plastic



Code K2-660 Red

100 pcs. made of plastic



Code K2-665 Red

100 pcs. with number.
made of plastic



▽ PLASMA MODEL ACCESSORIES

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

SECURITY SEAL


LABEL



Code K2-663Z Blue


100 pcs. with indicator.

For hydrogen peroxide
plasma sterilization



Code K2-672Z

100 pcs. with indicator.
For hydrogen peroxide
plasma sterilization



Code K2-673Z

100 pcs. with indicator.
For hydrogen peroxide
plasma sterilization

FILTERS for hydrogen peroxide plasma sterilization



Code K2-741Z

Diameter: 184 mm

Single use 100 pcs. for
hydrogen peroxide
plasma sterilization



Code K3-615Z

Dimension: 165 x 235 mm

for hydrogen peroxide
plasma sterilization



Code K2-761Z

Dimension: 230 x 120 mm

for hydrogen peroxide
plasma sterilization



Code K2-780Z

Dimension: 130 x 110 mm

for hydrogen peroxide
plasma sterilization



Паперовий фільтр

Паперовий фільтр

Тефлоновий фільтр


Тефлоновий фільтр
(Для системи В3 РТФЕ)



Код K2-740

Діаметр 184 мм

Одноразового
використання 100 шт
з індикатором.
маркування Aygun.



Код K2-741

Діаметр 184 мм

Одноразового
використання 100 шт
з індикатором. Без
маркування.



Код K2-742

Діаметр 194 мм


Кількість циклів
стерилізації > 2000



Код K2-745

Діаметр 90 мм

Кількість циклів
стерилізації > 2000
для використання з K1-970



Довгий розмір

1/1 Повний розмір

1/2 Половина розміру

Великий розмір

1/4 Розміру

Paper Filter

Paper Filter

Teflon Filter

For Dental Model



Code K3-612

Dimension 165 x 235 mm

Single use 100 pcs with indicator. Aygun mark.



Code K3-615

Dimension 165 x 235 mm

Single use 100 pcs with indicator. No marking.



Code K2-743

Dimension 150 x 233 mm

Number of sterilization cycle > 2000



Paper Filter

Paper Filter

Teflon Filter

For MiniModel



Code K2-760

Dimension 230 x 120 mm

Single use 100 pcs with indicator. Aygun mark.



Code K2-761

Dimension 230 x 120 mm

Single use 100 pcs with indicator. No marking.



Code K2-744

Dimension 215 x 100 mm

Number of sterilization cycle > 2000



Paper Filter

Paper Filter

Teflon Filter

For 1/2 Dental Model



Code K2-781

Dimension 130 x 130 mm

Single use 100 pcs with indicator. Aygun mark.



Code K2-780

Dimension 130 x 130 mm

Single use 100 pcs with indicator. No marking.



Code K2-782

Dimension 130 x 130 mm

Number of sterilization cycle > 2000



FILTER RETAINER & DISPENSER



Code K2-720

Diameter 186 mm

Filter Retainer, for 1/1, 3/4, 1/2, Extra large, Extra long, Large dental



Code K2-722

Diameter 186 mm

Filter Retainer, for all A1 models



Code K2-730

Dimension 200 x 200 x 64 mm

Filter Dispenser



Code K2-1715

Dimension 247 x 172 mm

Filter Retainer, for Dental model



Code K2-1708

Dimension 250 x 177 x 40 mm

Filter Dispenser



Code K2-1716

Dimension 243 x 120 mm

Filter Retainer, for Mini model



Code K2-1709

Dimension 250 x 127 x 53 mm

Filter Dispenser



Code K2-1717

Dimension 162 x 144 mm

Filter Retainer, for 1/2 Dental model



Code K2-1710

Dimension 169 x 151 x 53 mm


Filter Dispenser



Код	Розмір
K2-519	160 x 135 мм
K2-520	275 x 125 мм
K2-521	250 x 235 мм
K2-522	340 x 230 мм (2 шт)
K2-523	300 x 300 мм
K2-524	380 x 230 мм

Код	Розмір
K2-525	440 x 230 мм
K2-526	520 x 230 мм
K2-527	230 x 220 мм
K2-528	475 x 230 мм
K2-529	260 x 180 мм
K2-532	280 x 200 мм

СИЛІКОНОВІ СІТЧАТІ КИЛИМКИ



Код	Розмір
K2-530	250 x 240 мм
K2-531	485 x 250 мм
K2-533	534 x 247 мм
K2-534	395 x 245 мм
K2-535	527 x 335 мм
K2-536	658 x 247 мм

Силіконовий сітчатий килимок,
Дозволяє зберігати хірургічні інструменти без
ковзання та добре просушувати.



Code	Model	Size
K3-948	Large Dental Silicone Gasket	118 cm
K3-949	1/2 Dental Silicone Gasket	72 cm
K3-950	Mini Silicone Gasket	77 cm
K3-951	Dental Silicone Gasket	89 cm
K3-952	Flat Silicone Gasket	101 cm
K3-953	1/2 Silicone Gasket	101 cm
K3-954	3/4 Silicone Gasket	136 cm
K3-955	1/1 Silicone Gasket	158 cm
K3-956	Extra Large Silicone Gasket	180 cm
K3-957	Extra Long Silicone Gasket	185 cm
K3-958	Endo Silicone Gasket	130 cm



Code	Outside Dimension
K3-1090	502 x 255 x 130 mm

- Rack, for endoscopy
- Holds 10 endoscopic instruments
 - Fits into a 1/1 size 20 cm deep container
 - Wire basket 1/1 50 mm
 - Container 1/1 200 mm
 - Silicone mat 520 x 230 mm


Code	Outside Dimension
K3-1093	555 x 255 x 130 mm

- Rack, for endoscopy
- Holds 10 endoscopic instruments
 - Fits into a Extra Long size 18 cm deep container
 - Wire basket Extra Long 50 mm
 - Container Extra Long 180 mm
 - Silicone mat 340x230 (2pcs)



Code	Outside Dimension
K3-1092	515 x 250 x 165 mm


- Rack, for arthroscopy
- Holds 20 arthroscopy punches
 - Fits into a 1/1 size 20 cm deep container
 - Wire basket 1/1 50 mm
 - Container 1/1 200 mm
 - Silicone mat 440 x 230 mm



Code	Outside Dimension
K3-1094	220 x 250 x 160 mm

- Rack, for kerrison
- Holds 10 kerrison punches
 - Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
 - Wire basket 1/2 50 mm
 - Wire basket 1/1 50 mm
 - Wire basket Extra long 50 mm
 - Container 1/2 200 mm
 - Container 1/1 200 mm
 - Container Extra long 180 mm






Code	Lenght
K1-1601	250 x 9 mm
K1-1602	158 x 9 mm
K1-1603	123 x 9 mm
K1-1604	97 x 9 mm
K1-1605	73 x 9 mm
K1-1606	23,5 x 9 mm

Code	
K1-680-02 (1 Piece)	 Kep nut
K1-680-03 (1 Piece)	 Screw

Can be manufactured in any size demanded


With rail, screw and nut

Code	Lenght	Height
K12-100	250 mm	45 mm
K12-101	152 mm	45 mm
K12-102	125 mm	45 mm
K12-145	97 mm	45 mm




With rail, screw and nut

Code	Lenght	Height
K12-109	238 mm	45 mm
K12-110	158 mm	45 mm
K12-111	112 mm	45 mm
K12-148	77 mm	45 mm




With rail, screw and nut

Code	Lenght	Height
K12-106	238 mm	45 mm
K12-107	150 mm	45 mm
K12-108	119 mm	45 mm
K12-147	87 mm	45 mm




With rail, screw and nut

Code	Lenght	Height
K12-103	240 mm	45 mm
K12-104	150 mm	45 mm
K12-105	120 mm	45 mm
K12-146	90 mm	45 mm




Instruments holder,
from Ø 3 to 8 mm
With rail, screw and nut

Code	Lenght	Height
K12-112	178 mm	24 mm



Code	Lenght	Height
K12-113	73 mm	24 mm

Instruments holder, Ø 5 mm
With rail, screw and nut






Instruments holder, Ø 3 mm
With rail, screw and nut

Code	Lenght	Height
K12-114	73 mm	24 mm


Actual Size



Instruments holder, from Ø 3 to
15 mm With rail, screw and nut

Code	Lenght	Height
K12-115	178 mm	34 mm


Actual Size



With rail, screw and nut

Code	Lenght	Height
K12-116	121 mm	22 mm


Actual Size



With rail, screw and nut

Code	Lenght	Height
K12-117	123 mm	22 mm


Actual Size



Instruments holder, from Ø 3 mm
With rail, screw and nut

Code	Lenght	Height
K12-124	178 mm	24 mm


Actual Size



Instruments holder, Ø 5 mm
With rail, screw and nut


Code	Lenght	Height
K12-125	178 mm	24 mm

Actual Size



Code	Lenght	Height
K12-142	40 mm	25 mm

Actual Size



Code	Lenght	Height
K12-126	23.5 mm	25 mm

Ø 10,5 mm With rail, screw and nut


Actual Size



Code	Lenght	Height
K12-127	23.5 mm	25 mm

Ø 8 mm With rail, screw and nut

Actual Size



Code	Lenght	Height
K12-128	23.5 mm	25 mm

Ø 13 mm With rail, screw and nut


Actual Size



Code	Lenght	Height
K12-129	23.5 mm	25 mm

Ø 5 mm With rail, screw and nut


Actual Size






Code	Lenght	Height
K12-130	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 15 mm closed
With rail, screw and nut




Code	Lenght	Height
K12-141	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 8 mm closed
With rail, screw and nut




Code	Lenght	Height
K12-131	72 mm	34 mm

Instruments holder from Ø 3 to Ø 15 mm
With rail, screw and nut




Code	Lenght	Height
K12-132	72 mm	24 mm

Instruments holder, from Ø 3 to Ø 8 mm
With rail, screw and nut




Code	Lenght	Height
K12-133	38 mm	24 mm

Endoscope holder, double one side
from Ø 3 to Ø 8 mm
With rail, screw and nut




Code	Lenght	Height
K12-134	28 mm	34 mm

Endoscope holder, single one side Ø 12 mm open
one side from Ø 3 to Ø 15 mm
With rail, screw and nut




Code	Lenght	Height
K12-135	38 mm	33 mm

Endoscope holder, Ø 4 mm closed
With rail, screw and nut




Code	Lenght	Height
K12-136	38 mm	33 mm

Endoscope holder, Ø 6 mm closed
With rail, screw and nut




Code	Lenght	Height
K12-137	38 mm	33 mm

Endoscope holder, Ø 8 mm closed
With rail, screw and nut




Code	Lenght	Height
K12-138	38 mm	33 mm

Endoscope holder, Ø 12 mm closed
With rail, screw and nut




Code	Lenght	Height
K12-139	38 mm	33 mm

Endoscope holder, Ø 12 mm closed
With rail, screw and nut



Code	Lenght	Height
K12-140	38 mm	33 mm

Endoscope holder, Ø 15 mm closed
With rail, screw and nut





K2-650

K2-651

K2-588

Holding
pin for divider

Holding pin for
instruments

Fixation clamp

K2-645

K2-646

K2-647

K2-648

DIVIDER
50 x 20 mm

DIVIDER
130 x 20 mm

DIVIDER
225 x 20 mm

DIVIDER
460 x 20 mm

HOLDERS & DIVIDERS



K2-580
Ø 7 - 12 mm

K2-581
Ø 12 - 16 mm

K2-582
Ø 16 - 26 mm

K2-583
Ø 26 - 36 mm

K2-584
Ø 36 - 45 mm



Code **Outside Dimension**

K8-508 98 x 43 x 44 mm

Code **Outside Dimension**

K8-509 163 x 103 x 40 mm

Code **Outside Dimension**

K8-511 218 x 22 x 54 mm

Rack for 24 burrs with shanks
Ø 2.35 mm

Rack for 15 pcs of instruments

Rack for 12 pcs of instruments



Code **Outside Dimension**

K8-190 218 x 45 x 52 mm

Tiltable holding device
for 6 micro heads



ACCESSORIES

STERILE CONTAINER SYSTEMS



Code **Outside Dimension**

K2-600 40 x 5 x 18 mm

DIVIDER (use with K2-601 and
K2-602)



Code **Outside Dimension**

K2-601 230 x 26 mm

K2-602 470 x 26 mm

Sliding rails with securing screws



Code **Outside Dimension**

K2-604 230 x 26 mm

K2-605 470 x 26 mm

Limiting bar, with security screws



Code **Outside Dimension**


K2-607 233 x 30 mm

Spiral holding device



Code **Outside Dimension**

K2-609 116 x 30 mm



Code **Outside Dimension**

K2-615 112 x 18 mm

K2-616 172 x 18 mm

K2-617 232 x 18 mm

K2-618 472 x 18 mm

Limiting bar



Code **Outside Dimension**

K2-622 233 x 30 mm

Spiral holding



Code **Outside Dimension**

K2-625 126 x 30 mm

Spiral holding



Code K2-620

Spiral holding



Code	Page	Code	Page	Code	Page	Code	Page
K1-680-02	162	K2-565	153	K2-702	153	K3-709	131
K1-680-03	162	K2-566	153	K2-703	153	K3-710	131
K1-900	146	K2-567	153	K2-704	153	K3-711	131
K1-970	54, 56, 58	K2-570	153	K2-705	153	K3-712	131
K1-980	54, 56, 58	K2-571	153	K2-706	153	K3-713	131
K1-990	54, 56, 58	K2-572	153	K2-707	153	K3-714	131
K1-990A	54, 56, 58	K2-573	153	K2-720	157	K3-736	132
K1-1601	162	K2-574	153	K2-722	157	K3-737	132
K1-1602	162	K2-575	153	K2-730	157	K3-738	132
K1-1603	162	K2-576	153	K2-740	155	K3-740	129
K1-1604	162	K2-577	153	K2-741	155	K3-741	129
K1-1605	162	K2-580	168	K2-741Z	154	K3-742	129
K1-1606	162	K2-581	168	K2-742	155	K3-743	129
K2-440	139	K2-582	168	K2-743	156	K3-744	129
K2-450	137	K2-583	168	K2-744	156	K3-745	129
K2-451	137	K2-584	168	K2-745	155	K3-746	129
K2-452	137	K2-588	168	K2-760	156	K3-747	129
K2-453	137	K2-600	169	K2-761	156	K3-748	130
K2-460	137	K2-601	169	K2-761Z	154	K3-749	130
K2-461	137	K2-602	169	K2-780	156	K3-750	130
K2-462	137	K2-604	169	K2-780Z	154	K3-751	130
K2-463	137	K2-605	169	K2-781	156	K3-752	130
K2-482	139	K2-607	169	K2-782	156	K3-753	130
K2-490	136	K2-609	169	K2-993	138	K3-754	130
K2-491	136	K2-615	169	K2-995	138	K3-755	130
K2-492	136	K2-616	169	K2-1500	136	K3-756	132
K2-493	136	K2-617	169	K2-1501	136	K3-757	132
K2-519	158	K2-618	169	K2-1502	136	K3-758	132
K2-520	158	K2-620	169	K2-1503	136	K3-760	129
K2-521	158	K2-622	169	K2-1522	139	K3-761	129
K2-522	158	K2-625	169	K2-1701	137	K3-762	130
K2-523	158	K2-645	168	K2-1702	137	K3-763	130
K2-524	158	K2-646	168	K2-1703	137	K3-764	132
K2-525	158	K2-647	168	K2-1708	157	K3-765	132
K2-526	158	K2-648	168	K2-1709	157	K3-766	132
K2-527	158	K2-650	168	K2-1710	157	K3-767	132
K2-528	158	K2-651	168	K2-1715	157	K3-768	132
K2-529	158	K2-660	154	K2-1716	157	K3-770	132
K2-530	158	K2-661	154	K2-1717	157	K3-771	132
K2-531	158	K2-662	154	K2-1801	137	K3-772	132
K2-532	158	K2-663	154	K2-1802	137	K3-773	132
K2-533	158	K2-663Z	154	K2-1803	137	K3-774	132
K2-534	158	K2-664	154	K3-611	138	K3-775	132
K2-535	158	K2-665	154	K3-612	156	K3-776	132
K2-536	158	K2-672	153	K3-615	156	K3-780	135
K2-560	153	K2-672Z	154	K3-615Z	154	K3-780K	135
K2-561	153	K2-673	153	K3-705	131	K3-781	135
K2-562	153	K2-673Z	154	K3-706	131	K3-781K	135
K2-563	153	K2-700	153	K3-707	131	K3-782	135
K2-564	153	K2-701	153	K3-708	131	K3-783K	135

Code	Page	Code	Page	Code	Page	Code	Page
K3-784K	135	K3-1106	139	K5-013	124	K5-065	126
K3-785	135	K3-1107	139	K5-014	124	K5-066	126
K3-785K	135	K3-1108	139	K5-015	124	K5-067	126
K3-786	134	K3-1109	139	K5-016	124	K5-068	126
K3-786K	134	K3-1110	139	K5-017	124	K5-069	126
K3-787	134	K3-1111	139	K5-018	124	K5-070	126
K3-788	134	K3-1112	139	K5-019	124	K5-071	126
K3-789	134	K3-1113	139	K5-020	124	K5-072	126
K3-790K	134	K3-1114	139	K5-021	124	K5-073	126
K3-791K	134	K3-1115	139	K5-022	124	K5-074	126
K3-792K	134	K3-1116	139	K5-023	124	K5-075	126
K3-793K	134	K3-1117	139	K5-024	124	K5-076	126
K3-948	159	K3-1118	139	K5-025	124	K5-077	126
K3-949	159	K3-1119	143	K5-026	124	K5-078	126
K3-950	159	K3-1120	143	K5-027	124	K5-079	126
K3-951	159	K3-1121	143	K5-028	124	K5-080	126
K3-952	159	K3-1200	140	K5-029	124	K5-081	126
K3-953	159	K3-1201	140	K5-030	124	K5-082	126
K3-954	159	K3-1202	140	K5-031	124	K5-083	126
K3-955	159	K3-1203	140	K5-032	124	K5-084	126
K3-956	159	K3-1204	140	K5-033	124	K5-085	126
K3-957	159	K3-1205	140	K5-034	124	K5-086	126
K3-958	159	K3-1206	141	K5-035	124	K5-087	126
K3-1014	137	K3-1207	141	K5-036	124	K5-088	126
K3-1024	137	K3-1208	141	K5-037	124	K5-089	126
K3-1034	136	K3-1210	141	K5-038	124	K5-090	126
K3-1045	136	K3-1211	141	K5-039	124	K5-091	126
K3-1050	142	K3-1230	141	K5-040	124	K5-100	127
K3-1051	142	K3-1231	141	K5-041	124	K5-101	127
K3-1052	142	K3-1232	141	K5-042	124	K5-102	127
K3-1054	142	K3-1233	141	K5-043	124	K5-103	127
K3-1055	142	K3-1234	141	K5-044	124	K5-104	127
K3-1062	142	K3-1235	141	K5-045	124	K5-105	127
K3-1070	138	K3-1236	141	K5-048	124	K5-106	127
K3-1073	138	K3-1237	141	K5-049	124	K5-107	127
K3-1079	138	K3-1238	141	K5-050	124	K5-108	127
K3-1080	140	K3-1239	141	K5-051	124	K5-109	127
K3-1081	140	K3-1240	141	K5-052	124	K5-110	127
K3-1085	140	K3-1241	141	K5-053	124	K5-111	127
K3-1086	140	K3-1707	137	K5-054	124	K5-115	127
K3-1090	160	K3-1807	137	K5-055	124	K5-116	127
K3-1092	161	K3-2000	137	K5-056	124	K5-117	127
K3-1093	160	K3-2001	137	K5-057	124	K5-118	127
K3-1094	161	K3-2002	137	K5-058	124	K5-119	127
K3-1100	139	K3-2013	137	K5-059	124	K5-120	127
K3-1101	139	K4-1051	144	K5-060	126	K5-121	127
K3-1102	139	K4-1052	144	K5-061	126	K5-122	127
K3-1103	139	K5-010	124	K5-062	126	K5-123	127
K3-1104	139	K5-011	124	K5-063	126	K5-124	127
K3-1105	139	K5-012	124	K5-064	126	K5-125	127

Code	Page	Code	Page	Code	Page	Code	Page
K5-126	127	K5-241	125	K6-121D	97	K6-306-02E	90
K5-127	127	K5-242	125	K6-122	77	K6-306-03E	90
K5-128	127	K5-243	125	K6-122D	97	K6-306-04E	90
K5-129	127	K5-244	125	K6-123	77	K6-307	26, 40, 56
K5-130	127	K5-245	125	K6-123D	97	K6-307-00E	90
K5-131	127	K5-246	125	K6-124	77	K6-307-01E	90
K5-132	127	K5-247	125	K6-124D	97	K6-307-02E	90
K5-133	127	K6-100	24, 68, 76	K6-125	77	K6-307-03E	90
K5-134	127	K6-100D	97	K6-125D	97	K6-307-04E	90
K5-200	125	K6-100Z	105	K6-126	77	K6-308	26, 40, 56
K5-201	125	K6-101	24, 68, 76	K6-126D	97	K6-315	83
K5-202	125	K6-101D	97	K6-127	77	K6-316	83
K5-203	125	K6-101Z	105	K6-127D	97	K6-320	79
K5-204	125	K6-102	24, 68, 76	K6-128	77	K6-321	79
K5-205	125	K6-102D	97	K6-129	77	K6-322	79
K5-206	125	K6-102Z	105	K6-130	77	K6-323	79
K5-207	125	K6-103	24, 68, 76	K6-131	77	K6-324	79
K5-208	125	K6-103D	97	K6-132	77	K6-325	79
K5-209	125	K6-104	24, 68, 76	K6-133	77	K6-326	83
K5-210	125	K6-104D	97	K6-134	77	K6-327	83
K5-211	125	K6-105	24, 38, 54	K6-135	77	K6-328	83
K5-212	125	K6-105-00E	88	K6-230	55, 77	K6-329	83
K5-213	125	K6-105-01E	88	K6-231	55, 77	K6-330	83
K5-214	125	K6-105-02E	88	K6-232	55, 77	K6-331	83
K5-215	125	K6-105-03E	88	K6-233	55, 77	K6-332	83
K5-216	125	K6-105-04E	88	K6-234	55, 77	K6-333	83
K5-217	125	K6-106	24, 38, 54	K6-235	55, 77	K6-334	83
K5-218	125	K6-106-00E	88	K6-236	55, 77	K6-335	83
K5-219	125	K6-106-01E	88	K6-237	55, 77	K6-336	83
K5-220	125	K6-106-02E	88	K6-300	26, 70, 78	K6-337	83
K5-221	125	K6-106-03E	88	K6-300D	99	K6-338	83
K5-222	125	K6-106-04E	88	K6-300Z	105	K6-339	83
K5-223	125	K6-107	24, 38, 54	K6-301	26, 70, 78	K6-340	79
K5-224	125	K6-107-00E	88	K6-301D	99	K6-340D	99
K5-225	125	K6-107-01E	88	K6-301Z	105	K6-340E	91
K5-226	125	K6-107-02E	88	K6-302	26, 70, 78	K6-340Z	105
K5-227	125	K6-107-03E	88	K6-302D	99	K6-341	79
K5-228	125	K6-107-04E	88	K6-302Z	105	K6-341D	99
K5-229	125	K6-108	24, 38, 54	K6-303	26, 70, 78	K6-342	79
K5-230	125	K6-108-00E	88	K6-303D	99	K6-342D	99
K5-231	125	K6-108-01E	88	K6-303Z	105	K6-343	79
K5-232	125	K6-108-02E	88	K6-305	26, 40, 56	K6-343D	99
K5-233	125	K6-108-03E	88	K6-305-00E	90	K6-344	79
K5-234	125	K6-108-04E	88	K6-305-01E	90	K6-344D	99
K5-235	125	K6-109	24, 38, 54	K6-305-02E	90	K6-345	79
K5-236	125	K6-120	77	K6-305-03E	90	K6-345D	99
K5-237	125	K6-120D	97	K6-305-04E	90	K6-346	79
K5-238	125	K6-120E	89	K6-306	26, 40, 56	K6-346D	99
K5-239	125	K6-120Z	105	K6-306-00E	90	K6-347	79
K5-240	125	K6-121	77	K6-306-01E	90	K6-347D	99

Code	Page	Code	Page	Code	Page	Code	Page
K6-348	79	K6-608-04E	92	K6-1106	118	K6-1780	123
K6-349	79	K6-609	28, 42, 58	K6-1418	123	K6-1781	123
K6-400	30, 82	K6-620	81	K6-1419	123	K6-1782	123
K6-401	30, 82	K6-621	81	K6-1420	123	K6-1783	123
K6-402	30, 44, 60, 82	K6-622	81	K6-1421	123	K6-1784	123
K6-403	30, 44, 60, 82	K6-623	81	K6-1422	123	K6-1785	123
K6-410	57, 79	K6-624	81	K6-1423	123	K6-1786	123
K6-411	57, 79	K6-625	81	K6-1424	123	K6-1787	123
K6-412	57, 79	K6-626	81	K6-1425	123	K6-1790	123
K6-413	57, 79	K6-627	81	K6-1560	116	K6-1791	123
K6-414	57, 79	K6-630	81	K6-1560Z	107	K6-1792	123
K6-415	57, 79	K6-630D	101	K6-1561	116	K6-1793	123
K6-416	57, 79	K6-630E	93	K6-1561Z	107	K6-1794	123
K6-417	57, 79	K6-630Z	105	K6-1562	116	K6-1795	123
K6-600	28, 72, 80	K6-631	81	K6-1562Z	107	K6-1796	123
K6-600D	101	K6-631D	101	K6-1565	116	K6-1797	123
K6-600Z	105	K6-632	81	K6-1566	116	K6-1860	114
K6-601	28, 72, 80	K6-632D	101	K6-1567	116	K6-1860Z	107
K6-601D	101	K6-633	81	K6-1570	117	K6-1861	114
K6-601Z	105	K6-633D	101	K6-1570Z	107	K6-1861Z	107
K6-602	28, 72, 80	K6-634	81	K6-1571	117	K6-1862	114
K6-602D	101	K6-634D	101	K6-1572	117	K6-1862Z	107
K6-602Z	105	K6-635	81	K6-1573	117	K6-1863	114
K6-603	28, 72, 80	K6-635D	101	K6-1574	117	K6-1865	114
K6-603D	101	K6-636	81	K6-1575	117	K6-1866	114
K6-604	28, 72, 80	K6-636D	101	K6-1576	117	K6-1867	114
K6-604D	101	K6-637	81	K6-1577	117	K6-1868	114
K6-605	28, 42, 58	K6-637D	101	K6-1580	117	K6-1870	115
K6-605-00E	92	K6-700	59, 81	K6-1581	117	K6-1871	115
K6-605-01E	92	K6-701	59, 81	K6-1582	117	K6-1872	115
K6-605-02E	92	K6-702	59, 81	K6-1583	117	K6-1873	115
K6-605-03E	92	K6-703	59, 81	K6-1584	117	K6-1874	115
K6-605-04E	92	K6-704	59, 81	K6-1585	117	K6-1875	115
K6-606	28, 42, 58	K6-705	59, 81	K6-1586	117	K6-1876	115
K6-606-00E	92	K6-706	59, 81	K6-1587	117	K6-1877	115
K6-606-01E	92	K6-707	59, 81	K6-1665	112	K6-1880	115
K6-606-02E	92	K6-1000	119	K6-1666	112	K6-1880Z	107
K6-606-03E	92	K6-1000Z	109	K6-1667	112	K6-1881	115
K6-606-04E	92	K6-1001	119	K6-1680	113	K6-1882	115
K6-607	28, 42, 58	K6-1002	119	K6-1681	113	K6-1883	115
K6-607-00E	92	K6-1003	119	K6-1682	113	K6-1884	115
K6-607-01E	92	K6-1004	119	K6-1683	113	K6-1885	115
K6-607-02E	92	K6-1005	119	K6-1684	113	K6-1886	115
K6-607-03E	92	K6-1006	119	K6-1685	113	K6-1887	115
K6-607-04E	92	K6-1007	119	K6-1686	113	K6-1960	120
K6-608	28, 42, 58	K6-1100	118	K6-1687	113	K6-1960Z	107
K6-608-00E	92	K6-1100Z	109	K6-1770	122	K6-1961	120
K6-608-01E	92	K6-1101	118	K6-1771	122	K6-1961Z	107
K6-608-02E	92	K6-1101Z	109	K6-1775	122	K6-1962	120
K6-608-03E	92	K6-1105	118	K6-1776	122	K6-1962Z	107

Code	Page	Code	Page	Code	Page
K6-1965	120	K6-3128	25	K6-3372	33
K6-1966	120	K6-3129	25	K6-3373	33
K6-1967	120	K6-3130	25	K6-3374	33
K6-1970	121	K6-3131	25	K6-3375	33
K6-1970Z	107	K6-3132	25	K6-3376	33
K6-1971	121	K6-3133	25	K6-3377	33
K6-1972	121	K6-3134	25	K6-3380	33
K6-1973	121	K6-3135	25	K6-3381	33
K6-1974	121	K6-3230	25	K6-3382	33
K6-1975	121	K6-3231	25	K6-3383	33
K6-1976	121	K6-3232	25	K6-3384	33
K6-1977	121	K6-3233	25	K6-3385	33
K6-1980	121	K6-3234	25	K6-3386	33
K6-1981	121	K6-3235	25	K6-3387	33
K6-1982	121	K6-3236	25	K6-3410	27
K6-1983	121	K6-3237	25	K6-3411	27
K6-1984	121	K6-3315	31	K6-3412	27
K6-1985	121	K6-3316	31	K6-3413	27
K6-1986	121	K6-3320	27	K6-3414	27
K6-1987	121	K6-3321	27	K6-3415	27
K6-2000	32, 84	K6-3322	27	K6-3416	27
K6-2001	32, 84	K6-3323	27	K6-3417	27
K6-2002	32, 84	K6-3324	27	K6-3620	29
K6-2005	32, 46, 62	K6-3325	27	K6-3621	29
K6-2006	32, 46, 62	K6-3326	31	K6-3622	29
K6-2007	32, 46, 62	K6-3327	31	K6-3623	29
K6-2120	85	K6-3328	31	K6-3624	29
K6-2121	85	K6-3329	31	K6-3625	29
K6-2122	85	K6-3330	31	K6-3630	29
K6-2123	85	K6-3331	31	K6-3631	29
K6-2124	85	K6-3332	31	K6-3632	29
K6-2125	85	K6-3333	31	K6-3633	29
K6-2126	85	K6-3334	31	K6-3634	29
K6-2127	85	K6-3335	31	K6-3635	29
K6-2130	85	K6-3336	31	K6-3636	29
K6-2131	85	K6-3337	31	K6-3637	29
K6-2132	85	K6-3338	31	K6-3638	29
K6-2133	85	K6-3339	31	K6-3639	29
K6-2134	85	K6-3340	27	K6-3700	29
K6-2135	85	K6-3341	27	K6-3701	29
K6-2136	85	K6-3342	27	K6-3702	29
K6-2137	85	K6-3343	27	K6-3703	29
K6-3120	25	K6-3344	27	K6-3704	29
K6-3121	25	K6-3345	27	K6-3705	29
K6-3122	25	K6-3346	27	K6-3706	29
K6-3123	25	K6-3347	27	K6-3707	29
K6-3124	25	K6-3348	27	K7-100	38, 68
K6-3125	25	K6-3349	27	K7-101	38, 68
K6-3126	25	K6-3370	33	K7-102	38, 68
K6-3127	25	K6-3371	33	K7-103	38, 68

Code	Page	Code	Page	Code	Page	Code	Page
K7-421	41	K7-1883	115	K8-121B	55	K8-316BA	61
K7-422	43	K7-1884	115	K8-121BA	55	K8-316P	61
K7-423	43	K7-1885	115	K8-121P	55	K8-316V	61
K7-600	42, 72	K7-1886	115	K8-121V	55	K8-326B	61
K7-601	42, 72	K7-1887	115	K8-122B	55	K8-326BA	61
K7-602	42, 72	K7-1961	120	K8-122BA	55	K8-326P	61
K7-603	42, 72	K7-1962	120	K8-122P	55	K8-326V	61
K7-604	42, 72	K7-1970	121	K8-122V	55	K8-327B	61
K7-630	43	K7-1971	121	K8-123B	55	K8-327BA	61
K7-631	43	K7-1972	121	K8-123BA	55	K8-327P	61
K7-632	43	K7-1973	121	K8-123P	55	K8-327V	61
K7-633	43	K7-1974	121	K8-123V	55	K8-328B	61
K7-634	43	K7-1975	121	K8-124B	55	K8-328BA	61
K7-635	43	K7-1976	121	K8-124BA	55	K8-328P	61
K7-636	43	K7-1977	121	K8-124P	55	K8-328V	61
K7-637	43	K7-2000	46	K8-124V	55	K8-329B	61
K7-700	44	K7-2001	46	K8-125B	55	K8-329BA	61
K7-701	44	K7-2002	46	K8-125BA	55	K8-329P	61
K7-1418	123	K7-2120	47	K8-125P	55	K8-329V	61
K7-1419	123	K7-2121	47	K8-125V	55	K8-330B	61
K7-1420	123	K7-2122	47	K8-126B	55	K8-330BA	61
K7-1421	123	K7-2123	47	K8-126BA	55	K8-330P	61
K7-1422	123	K7-2124	47	K8-126P	55	K8-330V	61
K7-1423	123	K7-2125	47	K8-126V	55	K8-331B	61
K7-1424	123	K7-2126	47	K8-127B	55	K8-331BA	61
K7-1425	123	K7-2127	47	K8-127BA	55	K8-331P	61
K7-1680	113	K8-100B	54	K8-127P	55	K8-331V	61
K7-1681	113	K8-100BA	54	K8-127V	55	K8-340B	57
K7-1682	113	K8-100P	54	K8-190	168	K8-340BA	57
K7-1683	113	K8-100V	54	K8-300B	56	K8-340P	57
K7-1684	113	K8-101B	54	K8-300BA	56	K8-340V	57
K7-1685	113	K8-101BA	54	K8-300P	56	K8-341B	57
K7-1686	113	K8-101P	54	K8-300V	56	K8-341BA	57
K7-1687	113	K8-101V	54	K8-301B	56	K8-341P	57
K7-1770	122	K8-102B	54	K8-301BA	56	K8-341V	57
K7-1771	122	K8-102BA	54	K8-301P	56	K8-342B	57
K7-1780	123	K8-102P	54	K8-301V	56	K8-342BA	57
K7-1781	123	K8-102V	54	K8-302B	56	K8-342P	57
K7-1782	123	K8-103B	54	K8-302BA	56	K8-342V	57
K7-1783	123	K8-103BA	54	K8-302P	56	K8-343B	57
K7-1784	123	K8-103P	54	K8-302V	56	K8-343BA	57
K7-1785	123	K8-103V	54	K8-303B	56	K8-343P	57
K7-1786	123	K8-104B	54	K8-303BA	56	K8-343V	57
K7-1787	123	K8-104BA	54	K8-303P	56	K8-344B	57
K7-1861	114	K8-104P	54	K8-303V	56	K8-344BA	57
K7-1862	114	K8-104V	54	K8-315B	61	K8-344P	57
K7-1863	114	K8-120B	55	K8-315BA	61	K8-344V	57
K7-1880	115	K8-120BA	55	K8-315P	61	K8-345B	57
K7-1881	115	K8-120P	55	K8-315V	61	K8-345BA	57
K7-1882	115	K8-120V	55	K8-316B	61	K8-345P	57

Code	Page	Code	Page	Code	Page	Code	Page
K8-345V	57	K8-634P	59	K8-2124B	63	K12-140	167
K8-346B	57	K8-634V	59	K8-2124BA	63	K12-141	166
K8-346BA	57	K8-635B	59	K8-2124P	63	K12-142	165
K8-346P	57	K8-635BA	59	K8-2124V	63	K12-145	162
K8-346V	57	K8-635P	59	K8-2125B	63	K12-146	163
K8-347B	57	K8-635V	59	K8-2125BA	63	K12-147	163
K8-347BA	57	K8-636B	59	K8-2125P	63	K12-148	162
K8-347P	57	K8-636BA	59	K8-2125V	63	KA-100	145
K8-347V	57	K8-636P	59	K8-2126B	63	KB-100	145
K8-508	168	K8-636V	59	K8-2126BA	63	KC-100	145
K8-509	168	K8-637B	59	K8-2126P	63	KLA-100	145
K8-511	168	K8-637BA	59	K8-2126V	63	KLB-100	145
K8-600B	58	K8-637P	59	K8-2127B	63	KLC-100	145
K8-600BA	58	K8-637V	59	K8-2127BA	63	KP6-120	69
K8-600P	58	K8-700B	60	K8-2127P	63	KP6-121	69
K8-600V	58	K8-700BA	60	K8-2127V	63	KP6-123	69
K8-601B	58	K8-700P	60	K12-100	162	KP6-124	69
K8-601BA	58	K8-700V	60	K12-101	162	KP6-125	69
K8-601P	58	K8-701B	60	K12-102	162	KP6-340	71
K8-601V	58	K8-701BA	60	K12-103	163	KP6-341	71
K8-602B	58	K8-701P	60	K12-104	163	KP6-343	71
K8-602BA	58	K8-701V	60	K12-105	163	KP6-344	71
K8-602P	58	K8-2000B	62	K12-106	163	KP6-345	71
K8-602V	58	K8-2000BA	62	K12-107	163	KP6-630	73
K8-603B	58	K8-2000P	62	K12-108	163	KP6-631	73
K8-603BA	58	K8-2000V	62	K12-109	162	KP6-633	73
K8-603P	58	K8-2001B	62	K12-110	162	KP6-634	73
K8-603V	58	K8-2001BA	62	K12-111	162	KP6-635	73
K8-604B	58	K8-2001P	62	K12-112	163	KP7-120	69
K8-604BA	58	K8-2001V	62	K12-113	163	KP7-121	69
K8-604P	58	K8-2002B	62	K12-114	164	KP7-123	69
K8-604V	58	K8-2002BA	62	K12-115	164	KP7-124	69
K8-630B	59	K8-2002P	62	K12-116	164	KP7-125	69
K8-630BA	59	K8-2002V	62	K12-117	164	KP7-340	71
K8-630P	59	K8-2120B	63	K12-124	164	KP7-341	71
K8-630V	59	K8-2120BA	63	K12-125	165	KP7-343	71
K8-631B	59	K8-2120P	63	K12-126	165	KP7-344	71
K8-631BA	59	K8-2120V	63	K12-127	165	KP7-345	71
K8-631P	59	K8-2121B	63	K12-128	165	KP7-630	73
K8-631V	59	K8-2121BA	63	K12-129	165	KP7-631	73
K8-632B	59	K8-2121P	63	K12-130	166	KP7-633	73
K8-632BA	59	K8-2121V	63	K12-131	166	KP7-634	73
K8-632P	59	K8-2122B	63	K12-132	166	KP7-635	73
K8-632V	59	K8-2122BA	63	K12-133	166	KT6-120	69
K8-633B	59	K8-2122P	63	K12-134	166	KT6-340	71
K8-633BA	59	K8-2122V	63	K12-135	167	KT6-630	73
K8-633P	59	K8-2123B	63	K12-136	167	KT7-120	69
K8-633V	59	K8-2123BA	63	K12-137	167	KT7-340	71
K8-634B	59	K8-2123P	63	K12-138	167	KT7-630	73
K8-634BA	59	K8-2123V	63	K12-139	167		



FACTORY

Organize Sanayi Bölgesi
Yaşar Doğu Caddesi, No: 76
Kerimbey OSB, 55300, Tekkeköy
SAMSUN, TÜRKİYE

T : +90 (362) 266 66 80

F : +90 (362) 266 93 30

www.aygun.com

aygun@aygun.com

All rights reserved.No part of this catalog
may be reproduced in any form without the
written permission from AYGUN